

Table 10.10
Unadjusted Graft Survival, Intestine Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2006 - 2007)			(Tx 2006 - 2007)			(Tx 2002 - 2007)			(Tx 1997 - 2007)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	342	86.5%	1.9%	342	72.6%	2.4%	860	47.3%	2.4%	1,242	34.1%	2.4%
Age at Tx												
<1 Year	64	79.5%	5.1%	64	63.6%	6.1%	133	40.8%	6.1%	188	30.7%	5.8%
1-5 Years	101	85.1%	3.5%	101	72.3%	4.5%	266	51.7%	4.1%	403	40.8%	3.6%
6-11 Years	14	76.9%	11.7%	14	61.5%	13.5%	57	40.0%	8.5%	91	37.5%	7.4%
12-17 Years	16	87.5%	8.3%	16	75.0%	10.8%	48	51.4%	8.8%	66	40.2%	9.4%
18-34 Years	57	87.7%	4.3%	57	73.6%	5.8%	128	56.9%	5.6%	176	36.1%	6.3%
35-49 Years	54	90.7%	3.9%	54	75.9%	5.8%	137	49.9%	6.3%	203	+	+
50-64 Years	32	96.9%	3.1%	32	84.4%	6.4%	84	29.2%	10.0%	107	12.5%	9.4%
65+ Years	4	100.0%	0.0%	4	100.0%	0.0%	7	0.0%	0.0%	8	+	+
Recipient Ethnicity/Race												
White	236	88.1%	2.1%	236	74.9%	2.8%	601	46.6%	3.0%	860	34.9%	2.7%
African American	51	90.2%	4.2%	51	72.0%	6.4%	116	46.4%	6.0%	177	26.0%	6.2%
Hispanic/Latino	43	76.7%	6.4%	43	62.8%	7.4%	116	55.2%	5.3%	171	37.5%	8.2%
Asian	6	66.7%	19.2%	6	66.7%	19.2%	16	49.2%	12.7%	22	+	+
Other/Multi-race	6	83.3%	15.2%	6	66.7%	19.2%	11	17.7%	15.3%	12	+	+
Recipient Gender												
Female	167	89.2%	2.4%	167	76.5%	3.3%	432	47.5%	3.5%	604	33.5%	3.8%
Male	175	84.0%	2.8%	175	68.9%	3.5%	428	47.1%	3.3%	638	34.8%	2.9%
Recipient Blood Type												
O	150	83.3%	3.0%	150	71.3%	3.7%	390	52.1%	3.4%	572	38.9%	3.0%
A	132	90.2%	2.6%	132	76.4%	3.7%	324	43.5%	4.0%	467	32.7%	3.9%
B	46	82.2%	5.7%	46	59.2%	7.4%	105	40.2%	7.6%	144	19.3%	9.2%
AB	14	100.0%	0.0%	14	92.9%	6.9%	41	51.1%	9.3%	59	+	+
Previous Intestine Tx												
No	309	86.7%	1.9%	309	73.6%	2.5%	789	48.5%	2.5%	1,135	35.1%	2.5%
Yes	33	84.8%	6.2%	33	63.6%	8.4%	71	33.0%	8.4%	107	24.7%	6.2%

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on intestine transplants.

Multi-organ transplants other than intestine with liver and/or pancreas are excluded.

Table 10.10 (Continued)
Unadjusted Graft Survival, Intestine Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2006 - 2007)			(Tx 2006 - 2007)			(Tx 2002 - 2007)			(Tx 1997 - 2007)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	342	86.5%	1.9%	342	72.6%	2.4%	860	47.3%	2.4%	1,242	34.1%	2.4%
Recipient Residency												
U.S. Resident	328	86.5%	1.9%	328	72.1%	2.5%	829	47.2%	2.5%	1,185	34.3%	2.5%
Nonresident Alien	14	85.7%	9.4%	14	85.7%	9.4%	30	49.0%	11.2%	49	30.7%	10.0%
Unknown	0	-	-	0	-	-	1	100.0%	0.0%	8	25.0%	15.3%
Hospitalized at Tx												
Not Hospitalized	232	89.2%	2.0%	232	77.9%	2.7%	569	49.4%	3.2%	797	38.8%	3.1%
Hospitalized	76	82.9%	4.3%	76	67.0%	5.4%	192	49.3%	4.4%	278	26.9%	5.4%
In Intensive Care	34	76.3%	7.3%	34	48.8%	8.7%	99	31.6%	6.0%	166	23.1%	4.7%
Unknown	0	-	-	0	-	-	0	-	-	1	0.0%	0.0%
Life Support at Tx												
No	282	85.8%	2.1%	282	73.0%	2.6%	714	48.4%	2.6%	1,064	34.9%	2.5%
Yes	60	89.8%	3.9%	60	70.8%	6.0%	146	41.3%	6.9%	177	28.5%	7.8%
Unknown	0	-	-	0	-	-	0	-	-	1	0.0%	0.0%
Primary Diagnosis												
Short Gut Syndrome	246	85.3%	2.3%	246	70.9%	2.9%	622	48.0%	2.7%	915	33.6%	2.8%
Functional Bowel Problem	48	83.3%	5.4%	48	70.8%	6.6%	149	40.4%	6.3%	214	32.8%	4.9%
Other	46	95.7%	3.0%	46	86.9%	5.0%	86	58.9%	7.6%	109	43.6%	8.4%
Unknown	2	100.0%	0.0%	2	0.0%	0.0%	3	0.0%	0.0%	4	0.0%	0.0%

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on intestine transplants.

Multi-organ transplants other than intestine with liver and/or pancreas are excluded.

Table 10.10 (Continued)
Unadjusted Graft Survival, Intestine Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2006 - 2007)			(Tx 2006 - 2007)			(Tx 2002 - 2007)			(Tx 1997 - 2007)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	342	86.5%	1.9%	342	72.6%	2.4%	860	47.3%	2.4%	1,242	34.1%	2.4%
Cold Ischemic Time												
0-5 Hours	47	89.4%	4.5%	47	72.3%	6.5%	98	37.7%	8.6%	122	+	+
6-10 Hours	215	86.0%	2.4%	215	73.8%	3.0%	607	48.7%	2.7%	874	33.1%	3.0%
11-15 Hours	17	81.9%	9.5%	17	56.7%	12.4%	37	45.9%	10.2%	79	35.3%	6.7%
16-20 Hours	0	-	-	0	-	-	1	+	+	6	+	+
21+ Hours	0	-	-	0	-	-	1	0.0%	0.0%	3	0.0%	0.0%
Unknown	63	87.3%	4.2%	63	72.9%	5.6%	116	56.7%	5.4%	158	39.2%	6.3%
Yearly Center Volume												
0-1	17	58.8%	11.9%	17	47.1%	12.1%	66	50.5%	6.6%	95	11.3%	8.7%
2-7	48	79.2%	5.9%	48	64.6%	6.9%	97	36.9%	5.7%	240	45.0%	7.8%
8+	277	89.5%	1.8%	277	75.6%	2.6%	697	49.3%	2.7%	907	35.3%	2.4%
Donor Age												
<1 Year	94	87.2%	3.5%	94	74.2%	4.5%	227	55.0%	4.1%	324	42.4%	4.2%
1-5 Years	81	77.6%	4.7%	81	62.5%	5.4%	215	38.0%	4.8%	331	30.8%	4.2%
6-11 Years	26	88.5%	6.3%	26	69.2%	9.1%	78	64.4%	6.0%	128	44.5%	6.1%
12-17 Years	45	91.1%	4.2%	45	79.9%	6.0%	113	36.0%	7.5%	149	34.2%	5.7%
18-34 Years	74	90.5%	3.4%	74	82.4%	4.4%	170	46.9%	6.1%	228	23.6%	6.8%
35-49 Years	20	90.0%	6.7%	20	60.0%	11.0%	49	47.2%	7.7%	70	33.3%	9.3%
50-64 Years	2	100.0%	0.0%	2	50.0%	35.4%	7	57.1%	18.7%	11	+	+
65+ Years	0	-	-	0	-	-	1	0.0%	0.0%	1	0.0%	0.0%

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on intestine transplants.

Multi-organ transplants other than intestine with liver and/or pancreas are excluded.

Table 10.10 (Continued)
Unadjusted Graft Survival, Intestine Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2006 - 2007)			(Tx 2006 - 2007)			(Tx 2002 - 2007)			(Tx 1997 - 2007)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	342	86.5%	1.9%	342	72.6%	2.4%	860	47.3%	2.4%	1,242	34.1%	2.4%
Transplant Center State												
Alabama	0	-	-	0	-	-	0	-	-	1	0.0%	0.0%
California	32	71.9%	7.9%	32	62.5%	8.6%	92	58.6%	5.4%	112	46.4%	8.3%
District of Columbia	39	87.2%	5.4%	39	74.2%	7.0%	64	43.6%	18.4%	64	+	+
Florida	49	77.6%	6.0%	49	63.3%	6.9%	136	37.0%	5.4%	238	29.9%	3.8%
Illinois	5	60.0%	21.9%	5	60.0%	21.9%	15	+	+	20	+	+
Indiana	28	89.3%	5.8%	28	74.7%	8.3%	49	+	+	49	+	+
Louisiana	0	-	-	0	-	-	1	0.0%	0.0%	1	0.0%	0.0%
Massachusetts	6	83.3%	15.2%	6	66.7%	19.2%	8	+	+	8	+	+
Maryland	0	-	-	0	-	-	0	-	-	1	0.0%	0.0%
Minnesota	3	33.3%	27.2%	3	33.3%	27.2%	4	+	+	11	0.0%	0.0%
Missouri	0	-	-	0	-	-	0	-	-	1	0.0%	0.0%
Nebraska	53	96.1%	2.7%	53	76.4%	6.0%	131	44.6%	8.0%	219	39.4%	4.5%
New York	14	85.7%	9.4%	14	57.1%	13.2%	49	33.9%	7.5%	99	+	+
Ohio	12	75.0%	12.5%	12	58.3%	14.2%	23	+	+	23	+	+
Oklahoma	0	-	-	0	-	-	1	0.0%	0.0%	1	0.0%	0.0%
Pennsylvania	90	97.8%	1.6%	90	86.6%	3.6%	264	54.3%	4.3%	359	34.1%	5.0%
South Carolina	1	100.0%	0.0%	1	0.0%	0.0%	4	25.0%	21.7%	8	+	+
Texas	6	50.0%	20.4%	6	50.0%	20.4%	7	+	+	9	+	+
Virginia	1	100.0%	0.0%	1	100.0%	0.0%	1	+	+	1	+	+
Washington	3	66.7%	27.2%	3	66.7%	27.2%	3	+	+	3	+	+
Wisconsin	0	-	-	0	-	-	8	25.0%	15.3%	14	22.9%	12.8%

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on intestine transplants.

Multi-organ transplants other than intestine with liver and/or pancreas are excluded.