

Table 10.14
Unadjusted Patient Survival, Intestine Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2006 - 2007)			(Tx 2006 - 2007)			(Tx 2002 - 2007)			(Tx 1997 - 2007)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	309	89.3%	1.8%	309	78.3%	2.3%	789	57.1%	2.4%	1,135	43.5%	2.5%
Age at Tx												
<1 Year	62	82.3%	4.9%	62	66.1%	6.0%	131	46.3%	5.9%	184	35.9%	5.8%
1-5 Years	94	90.4%	3.0%	94	79.8%	4.1%	252	58.3%	4.1%	373	50.4%	3.4%
6-11 Years	10	100.0%	0.0%	10	60.0%	15.5%	48	47.0%	11.4%	78	53.2%	8.1%
12-17 Years	13	84.6%	10.0%	13	84.6%	10.0%	38	76.8%	7.3%	51	61.3%	11.2%
18-34 Years	48	89.6%	4.4%	48	81.3%	5.6%	114	70.5%	5.1%	159	41.5%	6.8%
35-49 Years	49	89.8%	4.3%	49	79.6%	5.8%	120	62.8%	6.1%	181	25.2%	11.5%
50-64 Years	30	96.7%	3.3%	30	93.3%	4.6%	80	37.6%	10.4%	102	33.0%	7.2%
65+ Years	3	100.0%	0.0%	3	100.0%	0.0%	6	0.0%	0.0%	7	+	+
Recipient Ethnicity/Race												
White	213	91.1%	2.0%	213	80.3%	2.7%	546	57.1%	2.9%	783	45.0%	2.7%
African American	43	93.0%	3.9%	43	74.4%	6.7%	105	54.5%	6.6%	158	40.0%	5.3%
Hispanic/Latino	41	80.5%	6.2%	41	75.6%	6.7%	111	65.1%	5.3%	160	44.1%	8.3%
Asian	6	66.7%	19.2%	6	66.7%	19.2%	16	56.3%	12.4%	22	+	+
Other/Multi-race	6	83.3%	15.2%	6	66.7%	19.2%	11	17.7%	15.3%	12	+	+
Recipient Gender												
Female	151	90.1%	2.4%	151	81.5%	3.2%	398	57.3%	3.5%	558	43.9%	3.8%
Male	158	88.6%	2.5%	158	75.3%	3.4%	391	56.9%	3.3%	577	43.2%	3.3%
Recipient Blood Type												
O	134	86.6%	2.9%	134	78.4%	3.6%	355	57.6%	3.7%	520	49.9%	2.9%
A	124	91.1%	2.6%	124	79.0%	3.7%	304	56.6%	3.8%	431	39.3%	4.3%
B	38	89.5%	5.0%	38	68.4%	7.5%	94	55.1%	6.1%	132	32.7%	10.4%
AB	13	100.0%	0.0%	13	100.0%	0.0%	36	66.2%	9.3%	52	33.9%	15.4%

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on intestine transplants.

Multi-organ transplants other than intestine with liver and/or pancreas are excluded.

Table 10.14 (Continued)
Unadjusted Patient Survival, Intestine Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2006 - 2007)			(Tx 2006 - 2007)			(Tx 2002 - 2007)			(Tx 1997 - 2007)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	309	89.3%	1.8%	309	78.3%	2.3%	789	57.1%	2.4%	1,135	43.5%	2.5%
Recipient Residency												
U.S. Resident	295	89.5%	1.8%	295	78.0%	2.4%	762	57.3%	2.4%	1,087	43.7%	2.6%
Nonresident Alien	14	85.7%	9.4%	14	85.7%	9.4%	26	51.5%	12.8%	44	40.6%	9.9%
Unknown	0	-	-	0	-	-	1	100.0%	0.0%	4	+	+
Hospitalized at Tx												
Not Hospitalized	217	92.2%	1.8%	217	83.4%	2.5%	532	60.7%	3.1%	747	49.0%	3.1%
Hospitalized	64	85.9%	4.3%	64	73.4%	5.5%	172	57.3%	4.6%	251	34.1%	5.8%
In Intensive Care	28	75.0%	8.2%	28	50.0%	9.4%	85	35.1%	6.3%	136	31.4%	4.5%
Unknown	0	-	-	0	-	-	0	-	-	1	100.0%	0.0%
Life Support at Tx												
No	256	89.1%	2.0%	256	80.1%	2.5%	658	58.9%	2.6%	983	43.9%	2.7%
Yes	53	90.6%	4.0%	53	69.8%	6.3%	131	48.3%	5.8%	151	43.1%	5.7%
Unknown	0	-	-	0	-	-	0	-	-	1	100.0%	0.0%
Primary Diagnosis												
Short Gut Syndrome	226	88.5%	2.1%	226	76.1%	2.8%	573	56.5%	2.7%	838	42.1%	2.9%
Functional Bowel Problem	40	87.5%	5.2%	40	80.0%	6.3%	134	56.9%	6.7%	194	51.4%	4.9%
Other	43	95.3%	3.2%	43	88.4%	4.9%	81	59.6%	7.9%	102	39.1%	11.0%
Unknown	0	-	-	0	-	-	1	+	+	1	+	+

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on intestine transplants.

Multi-organ transplants other than intestine with liver and/or pancreas are excluded.

Table 10.14 (Continued)
Unadjusted Patient Survival, Intestine Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2006 - 2007)			(Tx 2006 - 2007)			(Tx 2002 - 2007)			(Tx 1997 - 2007)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	309	89.3%	1.8%	309	78.3%	2.3%	789	57.1%	2.4%	1,135	43.5%	2.5%
Cold Ischemic Time												
0-5 Hours	41	95.1%	3.4%	41	90.2%	4.6%	90	52.1%	8.5%	111	+	+
6-10 Hours	196	89.3%	2.2%	196	78.1%	3.0%	558	57.3%	2.7%	802	44.0%	3.0%
11-15 Hours	14	85.7%	9.4%	14	71.4%	12.1%	33	69.2%	8.9%	71	36.4%	10.1%
16-20 Hours	0	-	-	0	-	-	1	+	+	5	+	+
21+ Hours	0	-	-	0	-	-	0	-	-	2	0.0%	0.0%
Unknown	58	86.2%	4.5%	58	72.4%	5.9%	107	63.4%	5.2%	144	46.8%	6.3%
Yearly Center Volume												
0-1	16	62.5%	12.1%	16	50.0%	12.5%	63	59.4%	6.6%	89	13.1%	10.1%
2-7	45	82.2%	5.7%	45	71.1%	6.8%	94	38.8%	6.1%	226	49.7%	11.5%
8+	248	92.3%	1.7%	248	81.5%	2.5%	632	60.7%	2.7%	820	45.1%	2.6%
Donor Age												
<1 Year	94	88.3%	3.3%	94	75.5%	4.4%	226	56.8%	4.3%	316	48.7%	3.9%
1-5 Years	67	86.6%	4.2%	67	73.1%	5.4%	187	49.1%	5.1%	292	41.8%	4.3%
6-11 Years	22	95.5%	4.4%	22	72.7%	9.5%	70	69.8%	6.8%	114	51.2%	6.5%
12-17 Years	41	92.7%	4.1%	41	87.8%	5.1%	103	59.6%	6.8%	138	53.4%	5.9%
18-34 Years	67	89.6%	3.7%	67	85.1%	4.4%	153	59.6%	6.2%	202	25.6%	9.7%
35-49 Years	17	88.2%	7.8%	17	70.6%	11.1%	43	54.3%	8.3%	63	40.1%	8.6%
50-64 Years	1	100.0%	0.0%	1	100.0%	0.0%	6	66.7%	19.2%	9	+	+
65+ Years	0	-	-	0	-	-	1	0.0%	0.0%	1	0.0%	0.0%

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on intestine transplants.

Multi-organ transplants other than intestine with liver and/or pancreas are excluded.

Table 10.14 (Continued)
Unadjusted Patient Survival, Intestine Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2006 - 2007)			(Tx 2006 - 2007)			(Tx 2002 - 2007)			(Tx 1997 - 2007)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	309	89.3%	1.8%	309	78.3%	2.3%	789	57.1%	2.4%	1,135	43.5%	2.5%
Transplant Center State												
Alabama	0	-	-	0	-	-	0	-	-	1	0.0%	0.0%
California	29	86.2%	6.4%	29	79.3%	7.5%	87	70.3%	5.2%	104	52.1%	12.3%
District of Columbia	37	86.5%	5.6%	37	75.7%	7.1%	61	71.7%	6.6%	61	+	+
Florida	42	81.0%	6.1%	42	71.4%	7.0%	118	41.4%	6.4%	211	33.8%	5.0%
Illinois	4	75.0%	21.7%	4	75.0%	21.7%	14	+	+	18	+	+
Indiana	27	92.6%	5.0%	27	77.8%	8.0%	46	58.4%	8.6%	46	+	+
Louisiana	0	-	-	0	-	-	1	0.0%	0.0%	1	0.0%	0.0%
Massachusetts	5	100.0%	0.0%	5	100.0%	0.0%	7	+	+	7	+	+
Maryland	0	-	-	0	-	-	0	-	-	1	0.0%	0.0%
Minnesota	3	33.3%	27.2%	3	33.3%	27.2%	4	+	+	10	0.0%	0.0%
Missouri	0	-	-	0	-	-	0	-	-	1	0.0%	0.0%
Nebraska	49	95.9%	2.8%	49	75.5%	6.1%	122	54.3%	6.2%	199	49.1%	4.4%
New York	12	83.3%	10.8%	12	66.7%	13.6%	46	34.9%	8.1%	92	38.8%	5.9%
Ohio	12	83.3%	10.8%	12	58.3%	14.2%	23	32.3%	12.1%	23	+	+
Oklahoma	0	-	-	0	-	-	1	0.0%	0.0%	1	0.0%	0.0%
Pennsylvania	78	98.7%	1.3%	78	93.6%	2.8%	237	70.5%	4.0%	326	49.8%	5.3%
South Carolina	1	100.0%	0.0%	1	0.0%	0.0%	3	33.3%	27.2%	6	+	+
Texas	6	50.0%	20.4%	6	50.0%	20.4%	7	+	+	9	+	+
Virginia	1	100.0%	0.0%	1	100.0%	0.0%	1	+	+	1	+	+
Washington	3	66.7%	27.2%	3	66.7%	27.2%	3	+	+	3	+	+
Wisconsin	0	-	-	0	-	-	8	25.0%	15.3%	14	22.9%	12.8%

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on intestine transplants.

Multi-organ transplants other than intestine with liver and/or pancreas are excluded.