

**Table 1.9c**  
**Immunosuppression Use by Organ**  
**Maintenance Regimen at One Year Following Transplantation**  
**2007 Transplants**

	Organ								
	Heart-Lung	Heart	Intest-ine	Kidney	KP	Liver	Lung	PAK	PTA
<b>Transplants</b>	31	2,209	198	16,630	862	6,494	1,471	261	208
<b>With Maintenance Use Recorded at 1 Year PostTx</b>	26	1,896	139	14,693	755	5,131	1,150	206	150
<b>Maintenance Regimen</b>									
CyA	0.0%	0.4%	0.7%	0.1%	0.0%	2.1%	0.1%	0.0%	0.0%
Tac	0.0%	2.6%	27.3%	2.2%	1.3%	28.5%	0.3%	1.5%	7.3%
--- + MMF/MPA	0.0%	0.2%	0.0%	0.2%	0.0%	0.5%	0.0%	0.0%	0.0%
CyA + MMF/MPA	0.0%	5.3%	0.0%	1.7%	0.9%	2.9%	0.0%	1.9%	0.7%
Tac + MMF/MPA	0.0%	20.0%	2.9%	27.1%	20.4%	25.0%	0.6%	24.8%	18.0%
--- + OtherAntimet	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
CyA + OtherAntimet	0.0%	0.8%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%
Tac + OtherAntimet	0.0%	2.0%	0.0%	0.4%	0.0%	0.3%	0.2%	1.0%	1.3%
Tac + MMF/MPA + OtherAntimet	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
--- + Siro/Evero	0.0%	0.1%	0.0%	0.1%	0.0%	1.7%	0.0%	0.0%	0.0%
CyA + Siro/Evero	0.0%	0.4%	0.0%	0.7%	2.0%	0.3%	0.0%	0.5%	0.0%
Tac + Siro/Evero	0.0%	1.1%	0.7%	1.1%	3.2%	1.2%	0.0%	5.3%	5.3%
--- + MMF/MPA + Siro/Evero	0.0%	0.4%	0.0%	1.2%	0.7%	1.8%	0.1%	1.5%	0.7%
CyA + MMF/MPA + Siro/Evero	0.0%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.7%
Tac + MMF/MPA + Siro/Evero	0.0%	0.5%	0.0%	0.6%	3.8%	0.3%	0.1%	7.8%	10.7%
--- + OtherAntimet + Siro/Evero	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
--- + Steroids	0.0%	0.1%	0.7%	0.2%	0.3%	1.0%	0.3%	0.0%	0.7%
CyA + Steroids	0.0%	1.0%	0.0%	0.4%	0.1%	1.0%	2.3%	0.0%	0.0%
Tac + Steroids	42.3%	2.4%	54.0%	4.1%	4.6%	12.6%	13.3%	2.9%	27.3%
--- + MMF/MPA + Steroids	0.0%	0.3%	0.0%	0.9%	0.4%	0.4%	0.3%	0.5%	0.0%
CyA + MMF/MPA + Steroids	7.7%	16.1%	0.0%	5.3%	2.6%	1.5%	3.7%	1.9%	0.0%
Tac + MMF/MPA + Steroids	38.5%	36.6%	5.8%	46.0%	53.8%	15.2%	48.6%	45.6%	22.0%
--- + OtherAntimet + Steroids	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%	0.0%
CyA + OtherAntimet + Steroids	0.0%	0.6%	0.0%	0.2%	0.3%	0.1%	2.9%	0.0%	0.7%
Tac + OtherAntimet + Steroids	7.7%	1.6%	1.4%	1.2%	0.9%	0.3%	18.5%	0.5%	0.0%
--- + Siro/Evero + Steroids	0.0%	0.3%	1.4%	0.4%	0.3%	0.9%	0.1%	0.0%	0.0%
CyA + Siro/Evero + Steroids	0.0%	2.4%	0.0%	0.9%	0.8%	0.1%	0.1%	0.0%	0.7%
Tac + Siro/Evero + Steroids	0.0%	0.9%	3.6%	1.0%	2.5%	0.8%	2.8%	1.5%	2.0%
Other Regimen	3.8%	3.8%	1.4%	3.8%	1.1%	1.5%	5.7%	2.9%	2.0%

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

Percentages are calculated based on the total number of patients with functioning graft and having any immunosuppression information reported at 1yr post-transplant. They sum to 100 percent.

---: No Calcineurin Inhibitor Use; CyA: Cyclosporine; Tac: Tacrolimus.

MMF: Mycophenolate Mofetil; MPA: Mycophenolate Sodium; Siro: Sirolimus; Evero: Everolimus; OtherAntimet: Antimetabolites excluding MMF/MPA.

"Other Regimen" includes drug combinations that are different from the listed regimens and drugs from the text field entering.