

**Table 11.12**  
**Adjusted Patient Survival, Heart Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2006 - 2007)			(Tx 2006 - 2007)			(Tx 2002 - 2007)			(Tx 1997 - 2007)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
<b>Total</b>												
All	4,127	93.4%	0.4%	4,127	88.8%	0.5%	11,991	75.2%	0.5%	22,654	56.0%	0.5%
<b>Age at Tx</b>												
<1 Year	175	86.1%	2.7%	175	79.4%	3.2%	479	66.9%	2.8%	847	66.0%	2.0%
1-5 Years	144	96.0%	1.6%	144	92.0%	2.3%	399	76.9%	2.8%	710	69.0%	2.5%
6-11 Years	93	98.0%	1.4%	93	94.9%	2.3%	287	83.6%	2.6%	496	66.5%	3.3%
12-17 Years	178	98.9%	0.8%	178	96.2%	1.4%	505	75.1%	2.6%	857	52.2%	2.8%
18-34 Years	412	94.4%	1.1%	412	84.8%	1.8%	1,195	69.7%	1.7%	2,014	54.6%	1.7%
35-49 Years	831	92.7%	0.9%	831	89.3%	1.1%	2,382	77.2%	1.1%	4,527	58.5%	1.1%
50-64 Years	1,824	93.1%	0.6%	1,824	88.6%	0.8%	5,514	76.1%	0.8%	10,971	55.2%	0.8%
65+ Years	470	90.7%	1.4%	470	86.6%	1.6%	1,230	68.8%	1.9%	2,232	45.6%	1.8%
<b>Recipient Ethnicity/Race</b>												
White	2,814	93.2%	0.5%	2,814	89.7%	0.6%	8,478	77.7%	0.6%	16,803	58.7%	0.6%
African American	780	92.6%	1.0%	780	84.4%	1.4%	2,062	64.8%	1.4%	3,463	42.6%	1.5%
Hispanic/Latino	377	94.3%	1.2%	377	90.0%	1.6%	1,016	75.1%	1.8%	1,684	61.4%	1.8%
Asian	125	96.9%	1.5%	125	90.6%	2.6%	339	75.9%	2.9%	557	65.2%	2.8%
Other/Multi-race	31	96.5%	3.4%	31	75.8%	7.9%	96	72.3%	5.1%	144	58.8%	6.3%
Unknown	0	-	-	0	-	-	0	-	-	3	34.5%	20.7%
<b>Recipient Gender</b>												
Female	1,067	91.7%	0.9%	1,067	86.3%	1.1%	3,187	72.6%	1.0%	5,953	54.5%	1.0%
Male	3,060	93.9%	0.4%	3,060	89.5%	0.6%	8,804	76.1%	0.6%	16,701	56.5%	0.6%

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on heart and heart-lung transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

**Table 11.12 (Continued)**  
**Adjusted Patient Survival, Heart Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2006 - 2007)			(Tx 2006 - 2007)			(Tx 2002 - 2007)			(Tx 1997 - 2007)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
<b>Total</b>												
All	4,127	93.4%	0.4%	4,127	88.8%	0.5%	11,991	75.2%	0.5%	22,654	56.0%	0.5%
<b>Primary Diagnosis</b>												
Coronary Artery Disease	1,520	92.8%	0.7%	1,520	88.3%	0.9%	4,756	74.5%	0.9%	9,613	52.5%	0.8%
Cardiomyopathy	2,154	94.8%	0.5%	2,154	90.6%	0.6%	5,890	77.0%	0.7%	10,646	59.0%	0.8%
Congenital Heart Disease	330	82.7%	2.8%	330	73.6%	3.4%	1,006	63.5%	2.3%	1,770	52.5%	2.0%
Valvular Heart Disease	76	92.7%	2.8%	76	89.0%	3.4%	248	76.9%	3.0%	494	58.1%	3.3%
Other	47	93.1%	3.8%	47	86.2%	5.2%	89	78.9%	4.6%	127	67.9%	5.5%
Unknown	0	-	-	0	-	-	2	0.0%	0.0%	4	18.5%	14.1%

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on heart and heart-lung transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

**Table 11.12 (Continued)**  
**Adjusted Patient Survival, Heart Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2006 - 2007)			(Tx 2006 - 2007)			(Tx 2002 - 2007)			(Tx 1997 - 2007)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
<b>Total</b>												
All	4,127	93.4%	0.4%	4,127	88.8%	0.5%	11,991	75.2%	0.5%	22,654	56.0%	0.5%
<b>Transplant Center State</b>												
Alabama	47	93.7%	3.5%	47	85.2%	5.1%	124	73.7%	4.7%	285	60.9%	3.8%
Arkansas	45	93.0%	3.9%	45	90.6%	4.4%	143	73.5%	4.3%	231	53.7%	5.1%
Arizona	106	95.6%	1.9%	106	90.4%	2.8%	236	72.4%	4.5%	380	56.0%	4.1%
California	484	94.5%	1.0%	484	88.6%	1.4%	1,513	77.5%	1.3%	2,704	60.0%	1.4%
Colorado	56	94.6%	3.0%	56	92.8%	3.4%	184	74.6%	3.6%	375	63.5%	3.4%
Connecticut	31	87.8%	5.6%	31	84.8%	6.2%	95	59.7%	5.9%	223	43.6%	4.4%
District of Columbia	12	86.2%	8.7%	12	79.1%	10.3%	42	73.1%	7.0%	85	44.9%	8.5%
Delaware	2	+	+	2	+	+	4	76.5%	17.3%	4	74.1%	18.9%
Florida	272	93.9%	1.4%	272	89.0%	1.8%	752	77.2%	2.0%	1,346	59.2%	2.0%
Georgia	89	93.6%	2.5%	89	86.1%	3.6%	231	70.5%	4.2%	465	59.1%	3.2%
Hawaii	2	+	+	2	+	+	6	+	+	18	56.1%	13.8%
Iowa	18	+	+	18	+	+	60	87.4%	5.0%	122	65.8%	5.8%
Illinois	162	94.6%	1.7%	162	92.2%	2.1%	412	73.9%	2.8%	755	57.9%	2.6%
Indiana	62	92.0%	3.4%	62	85.6%	4.4%	199	65.1%	4.3%	423	46.7%	3.7%
Kansas	15	86.8%	8.3%	15	86.8%	8.3%	36	80.9%	7.0%	71	46.9%	9.1%
Kentucky	36	88.3%	5.4%	36	85.3%	6.0%	152	66.6%	4.6%	308	42.7%	4.1%
Louisiana	40	91.3%	4.1%	40	82.4%	5.6%	186	70.7%	3.7%	464	47.6%	3.3%
Massachusetts	125	92.5%	2.4%	125	86.6%	3.1%	324	83.8%	2.6%	627	63.8%	2.9%
Maryland	88	92.5%	2.7%	88	86.0%	3.6%	191	75.2%	3.9%	291	50.5%	4.7%
Michigan	101	91.2%	2.8%	101	85.3%	3.5%	294	78.5%	2.8%	591	48.2%	3.6%
Minnesota	113	96.5%	1.7%	113	93.0%	2.4%	353	81.9%	2.4%	578	62.8%	3.3%
Missouri	169	93.1%	1.9%	169	90.2%	2.3%	405	76.2%	2.8%	759	55.7%	2.8%
Mississippi	13	93.4%	5.9%	13	93.4%	5.9%	49	57.8%	9.2%	105	49.5%	7.9%
North Carolina	148	93.1%	2.0%	148	90.5%	2.3%	469	72.9%	2.5%	858	52.4%	2.9%
Nebraska	30	89.9%	5.3%	30	83.2%	6.7%	47	65.4%	12.0%	83	43.8%	8.3%
New Jersey	86	97.8%	1.6%	86	94.4%	2.4%	250	78.2%	3.6%	382	41.9%	6.3%
New Mexico	0	-	-	0	-	-	0	-	-	21	65.7%	10.4%
New York	280	90.8%	1.7%	280	85.4%	2.1%	865	73.3%	1.8%	1,498	58.6%	2.0%
Ohio	201	90.8%	2.1%	201	87.7%	2.4%	585	75.8%	2.2%	1,264	53.7%	2.1%
Oklahoma	30	93.4%	4.4%	30	86.6%	6.1%	123	67.1%	5.3%	268	48.1%	4.2%
Oregon	39	97.3%	2.6%	39	94.6%	3.7%	115	84.7%	3.8%	225	71.7%	3.9%
Pennsylvania	377	92.2%	1.3%	377	87.4%	1.7%	970	75.7%	1.7%	1,983	53.4%	1.7%
Puerto Rico	25	96.7%	3.2%	25	96.7%	3.2%	70	84.4%	5.4%	100	61.8%	13.5%

(Continued)

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on heart and heart-lung transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

**Table 11.12 (Continued)**  
**Adjusted Patient Survival, Heart Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2006 - 2007)			(Tx 2006 - 2007)			(Tx 2002 - 2007)			(Tx 1997 - 2007)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
<b>Transplant Center State</b>												
South Carolina	39	94.7%	3.5%	39	92.1%	4.3%	115	78.6%	4.4%	226	62.2%	5.3%
Tennessee	85	91.6%	3.0%	85	85.7%	3.8%	304	75.9%	2.8%	599	51.6%	3.4%
Texas	356	94.6%	1.1%	356	89.5%	1.6%	1,023	70.1%	1.9%	1,907	54.4%	1.7%
Utah	68	98.6%	1.4%	68	94.5%	2.7%	210	76.3%	3.9%	338	61.1%	4.6%
Virginia	105	93.0%	2.4%	105	90.3%	2.8%	311	75.5%	2.8%	617	49.2%	3.1%
Washington	70	94.3%	2.7%	70	92.9%	3.0%	229	81.8%	3.3%	414	73.9%	3.1%
Wisconsin	100	91.6%	2.7%	100	86.0%	3.3%	314	77.3%	2.9%	661	58.7%	2.8%

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on heart and heart-lung transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.