

**Table 13.8**  
**Adjusted Graft Survival, Heart-Lung Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2006 - 2007)			(Tx 2006 - 2007)			(Tx 2002 - 2007)			(Tx 1997 - 2007)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
<b>Total</b>												
All	62	85.5%	4.4%	62	80.5%	5.0%	194	43.2%	5.3%	426	25.8%	3.2%
<b>Age at Tx</b>												
<1 Year	4	75.0%	18.8%	4	75.0%	18.8%	5	0.0%	0.0%	12	0.0%	0.0%
1-5 Years	2	+	+	2	+	+	4	+	+	15	37.0%	12.1%
6-11 Years	2	50.0%	25.0%	2	50.0%	25.0%	5	53.3%	20.7%	13	44.0%	13.3%
12-17 Years	2	+	+	2	+	+	18	46.7%	11.8%	30	20.5%	11.3%
18-34 Years	12	91.7%	7.6%	12	83.3%	10.3%	52	35.7%	9.8%	116	24.7%	5.3%
35-49 Years	29	82.8%	6.8%	29	79.2%	7.4%	75	45.5%	8.3%	166	27.8%	5.1%
50-64 Years	11	90.9%	8.3%	11	81.8%	11.1%	35	49.7%	12.3%	74	26.9%	7.8%
<b>Recipient Ethnicity/Race</b>												
White	46	82.5%	5.5%	46	75.7%	6.3%	141	43.6%	6.2%	331	28.5%	3.6%
African American	6	+	+	6	+	+	19	58.4%	11.9%	36	26.3%	9.4%
Hispanic/Latino	5	80.3%	15.9%	5	80.3%	15.9%	20	54.2%	11.1%	40	0.0%	0.0%
Asian	5	+	+	5	+	+	9	32.8%	19.3%	14	15.2%	10.7%
Other/Multi-race	0	-	-	0	-	-	5	22.6%	14.4%	5	20.0%	13.7%
<b>Recipient Gender</b>												
Female	35	88.6%	5.3%	35	82.6%	6.3%	111	47.4%	6.7%	250	27.7%	4.6%
Male	27	81.5%	7.3%	27	77.8%	7.8%	83	36.4%	8.6%	176	22.6%	4.4%

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on heart-lung transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

**Table 13.8 (Continued)**  
**Adjusted Graft Survival, Heart-Lung Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2006 - 2007)			(Tx 2006 - 2007)			(Tx 2002 - 2007)			(Tx 1997 - 2007)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
<b>Total</b>												
All	62	85.5%	4.4%	62	80.5%	5.0%	194	43.2%	5.3%	426	25.8%	3.2%
<b>Primary Diagnosis</b>												
Congenital Disease	9	54.3%	16.4%	9	54.3%	16.4%	47	40.4%	7.5%	142	16.3%	4.5%
Cystic Fibrosis	3	+	+	3	+	+	7	0.0%	0.0%	12	19.7%	12.8%
Emphysema/COPD	1	100.0%	0.0%	1	0.0%	0.0%	2	0.0%	0.0%	12	37.1%	13.8%
Other	10	+	+	10	+	+	26	67.5%	10.4%	44	21.4%	10.3%
Unknown	22	91.6%	5.7%	22	83.1%	7.8%	57	43.5%	10.8%	115	27.1%	6.4%

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on heart-lung transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

**Table 13.8 (Continued)**  
**Adjusted Graft Survival, Heart-Lung Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2006 - 2007)			(Tx 2006 - 2007)			(Tx 2002 - 2007)			(Tx 1997 - 2007)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
<b>Total</b>												
All	62	85.5%	4.4%	62	80.5%	5.0%	194	43.2%	5.3%	426	25.8%	3.2%
<b>Transplant Center State</b>												
Alabama	1	+	+	1	+	+	3	0.0%	0.0%	15	23.9%	11.4%
Arizona	0	-	-	0	-	-	4	26.2%	16.7%	17	46.3%	11.7%
California	19	95.2%	4.5%	19	95.2%	4.5%	43	64.0%	9.7%	90	19.4%	6.4%
Colorado	1	+	+	1	+	+	3	67.6%	21.9%	5	29.7%	17.8%
Florida	3	67.6%	21.3%	3	35.8%	21.7%	13	68.4%	12.5%	19	0.0%	0.0%
Illinois	0	-	-	0	-	-	7	55.1%	17.4%	9	53.5%	15.8%
Indiana	0	-	-	0	-	-	0	-	-	1	0.0%	0.0%
Kentucky	0	-	-	0	-	-	0	-	-	1	0.0%	0.0%
Massachusetts	0	-	-	0	-	-	0	-	-	1	0.0%	0.0%
Maryland	2	+	+	2	+	+	4	49.4%	21.3%	7	41.6%	16.4%
Michigan	0	-	-	0	-	-	0	-	-	3	33.0%	20.1%
Minnesota	0	-	-	0	-	-	9	13.8%	10.3%	23	25.7%	10.1%
Missouri	1	+	+	1	+	+	6	81.0%	15.6%	21	29.1%	11.5%
North Carolina	1	+	+	1	+	+	12	26.2%	11.6%	30	20.3%	7.5%
New York	2	+	+	2	+	+	4	48.0%	20.9%	22	16.5%	8.2%
Ohio	11	69.2%	14.9%	11	69.2%	14.9%	19	22.9%	12.9%	20	31.7%	13.4%
Oregon	0	-	-	0	-	-	0	-	-	1	0.0%	0.0%
Pennsylvania	16	80.9%	9.6%	16	73.8%	11.0%	44	48.6%	10.0%	88	36.3%	6.1%
Tennessee	1	+	+	1	+	+	4	52.4%	20.6%	12	0.0%	0.0%
Texas	3	65.4%	21.9%	3	26.0%	17.3%	13	0.0%	0.0%	22	43.1%	12.0%
Utah	0	-	-	0	-	-	0	-	-	1	0.0%	0.0%
Virginia	0	-	-	0	-	-	0	-	-	2	0.0%	0.0%
Washington	1	+	+	1	+	+	1	+	+	4	67.4%	22.0%
Wisconsin	0	-	-	0	-	-	5	57.4%	19.6%	12	50.2%	13.6%

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on heart-lung transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.