

Table 13.12
Adjusted Patient Survival, Heart-Lung Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2006 - 2007)			(Tx 2006 - 2007)			(Tx 2002 - 2007)			(Tx 1997 - 2007)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	62	85.5%	4.4%	62	80.7%	5.0%	192	45.1%	5.1%	419	28.7%	3.2%
Age at Tx												
<1 Year	4	75.0%	18.8%	4	75.0%	18.8%	5	0.0%	0.0%	11	0.0%	0.0%
1-5 Years	2	+	+	2	+	+	4	+	+	15	37.0%	12.1%
6-11 Years	2	50.0%	25.0%	2	50.0%	25.0%	5	53.3%	20.7%	13	44.0%	13.3%
12-17 Years	2	+	+	2	+	+	17	49.4%	12.2%	27	23.4%	12.8%
18-34 Years	12	91.7%	7.6%	12	83.3%	10.3%	52	37.7%	9.4%	115	30.1%	5.6%
35-49 Years	29	82.8%	6.9%	29	79.3%	7.4%	74	47.8%	7.9%	164	29.0%	5.0%
50-64 Years	11	90.9%	8.3%	11	81.8%	11.1%	35	49.7%	12.3%	74	27.0%	7.8%
Recipient Ethnicity/Race												
White	46	82.6%	5.5%	46	76.0%	6.2%	140	45.4%	5.9%	325	31.3%	3.5%
African American	6	+	+	6	+	+	19	58.5%	11.9%	36	26.3%	9.4%
Hispanic/Latino	5	80.2%	15.9%	5	80.2%	15.9%	19	56.8%	11.3%	39	0.0%	0.0%
Asian	5	+	+	5	+	+	9	33.3%	19.4%	14	15.5%	10.8%
Other/Multi-race	0	-	-	0	-	-	5	22.5%	14.4%	5	19.9%	13.6%
Recipient Gender												
Female	35	88.6%	5.3%	35	82.8%	6.3%	109	50.2%	6.4%	244	30.7%	4.5%
Male	27	81.5%	7.3%	27	77.8%	7.8%	83	36.7%	8.6%	175	25.5%	4.5%

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on heart-lung transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

Table 13.12 (Continued)
Adjusted Patient Survival, Heart-Lung Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2006 - 2007)			(Tx 2006 - 2007)			(Tx 2002 - 2007)			(Tx 1997 - 2007)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	62	85.5%	4.4%	62	80.7%	5.0%	192	45.1%	5.1%	419	28.7%	3.2%
Primary Diagnosis												
Congenital Disease	9	54.5%	16.4%	9	54.5%	16.4%	46	42.0%	7.6%	139	17.4%	4.5%
Cystic Fibrosis	3	+	+	3	+	+	7	0.0%	0.0%	12	19.5%	12.8%
Emphysema/COPD	1	100.0%	0.0%	1	0.0%	0.0%	2	0.0%	0.0%	12	38.0%	13.8%
Other	10	+	+	10	+	+	26	67.8%	10.3%	43	22.5%	10.8%
Unknown	22	91.6%	5.7%	22	83.1%	7.9%	56	44.3%	11.0%	113	34.1%	6.4%

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on heart-lung transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

Table 13.12 (Continued)
Adjusted Patient Survival, Heart-Lung Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2006 - 2007)			(Tx 2006 - 2007)			(Tx 2002 - 2007)			(Tx 1997 - 2007)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	62	85.5%	4.4%	62	80.7%	5.0%	192	45.1%	5.1%	419	28.7%	3.2%
Transplant Center State												
Alabama	1	+	+	1	+	+	3	0.0%	0.0%	15	27.7%	11.5%
Arizona	0	-	-	0	-	-	4	26.5%	16.7%	17	52.7%	11.6%
California	19	95.3%	4.5%	19	95.3%	4.5%	42	66.5%	9.3%	89	21.3%	6.8%
Colorado	1	+	+	1	+	+	3	67.8%	21.8%	5	29.4%	17.8%
Florida	3	68.0%	21.2%	3	36.2%	21.7%	13	68.7%	12.5%	19	0.0%	0.0%
Illinois	0	-	-	0	-	-	7	55.5%	17.3%	9	54.0%	15.7%
Indiana	0	-	-	0	-	-	0	-	-	1	0.0%	0.0%
Kentucky	0	-	-	0	-	-	0	-	-	1	0.0%	0.0%
Massachusetts	0	-	-	0	-	-	0	-	-	1	0.0%	0.0%
Maryland	2	+	+	2	+	+	4	49.6%	21.3%	7	41.8%	16.3%
Michigan	0	-	-	0	-	-	0	-	-	3	32.7%	20.0%
Minnesota	0	-	-	0	-	-	9	14.1%	10.4%	23	25.6%	10.1%
Missouri	1	+	+	1	+	+	6	80.2%	16.2%	21	25.1%	10.6%
North Carolina	1	+	+	1	+	+	11	28.6%	12.4%	28	26.6%	8.4%
New York	2	+	+	2	+	+	4	48.4%	20.9%	22	18.5%	8.3%
Ohio	11	68.6%	15.3%	11	68.6%	15.3%	19	30.2%	13.0%	20	35.5%	12.8%
Oregon	0	-	-	0	-	-	0	-	-	1	0.0%	0.0%
Pennsylvania	16	81.0%	9.6%	16	74.4%	10.8%	44	48.3%	10.1%	84	40.0%	6.1%
Tennessee	1	+	+	1	+	+	4	51.8%	20.6%	12	0.0%	0.0%
Texas	3	65.2%	22.0%	3	25.3%	17.0%	13	0.0%	0.0%	22	43.0%	12.0%
Utah	0	-	-	0	-	-	0	-	-	1	0.0%	0.0%
Virginia	0	-	-	0	-	-	0	-	-	2	0.0%	0.0%
Washington	1	+	+	1	+	+	1	+	+	4	67.6%	22.0%
Wisconsin	0	-	-	0	-	-	5	57.4%	19.7%	12	50.5%	13.6%

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on heart-lung transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.