

Table 5.3
Reported Deaths and Annual Death Rates Per 1,000 Patient-Years at Risk, 1999 to 2008
Kidney Waiting List

Age This Year	Year										
	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
Total											
Patients	57,058	60,540	64,162	68,168	71,793	76,806	82,336	88,685	94,622	99,750	
Deaths	3,318	3,125	3,368	3,731	3,858	4,040	4,143	4,454	4,456	4,638	
Rate	84.0	73.6	73.5	76.8	75.0	73.4	70.5	70.4	65.0	63.3	
<1 Year											
Patients	3	2	-	-	4	6	3	4	5	6	
Deaths	-	-	-	-	-	1	-	-	1	-	
Rate	*	*	-	-	*	*	*	*	*	*	
1-5 Years											
Patients	124	127	149	150	164	181	200	222	243	245	
Deaths	4	5	3	4	4	3	5	7	7	5	
Rate	66.9	85.9	45.1	64.2	56.2	35.9	54.9	73.9	63.6	36.8	
6-11 Years											
Patients	233	234	284	280	278	289	311	301	315	341	
Deaths	6	8	1	3	4	7	6	-	3	3	
Rate	50.7	66.0	7.0	20.4	27.5	47.9	39.2	-	17.5	17.7	
12-17 Years											
Patients	629	595	654	738	788	862	882	880	816	849	
Deaths	12	5	5	17	11	6	13	8	5	5	
Rate	35.3	14.9	14.1	42.1	26.1	12.7	26.8	18.1	12.3	11.3	
18-34 Years											
Patients	9,266	9,101	9,148	9,324	9,512	9,862	9,986	10,250	10,274	10,550	
Deaths	259	225	213	242	230	209	219	206	179	202	
Rate	40.4	34.9	33.0	36.4	33.8	29.9	30.9	28.4	24.3	26.5	
35-49 Years											
Patients	19,679	20,246	20,676	21,235	21,903	22,762	23,929	25,222	26,554	27,203	
Deaths	966	831	817	826	849	852	820	897	874	871	
Rate	69.7	57.7	54.5	53.5	53.0	51.2	47.1	48.8	44.4	42.5	
50-64 Years											
Patients	21,170	23,260	25,246	27,380	29,042	31,433	34,123	37,157	39,912	42,317	
Deaths	1,464	1,455	1,645	1,817	1,839	1,922	2,048	2,148	2,140	2,180	
Rate	99.7	89.2	90.9	93.0	88.0	84.9	83.7	80.7	73.7	69.7	
65+ Years											
Patients	5,954	6,975	8,005	9,061	10,102	11,411	12,902	14,649	16,503	18,239	
Deaths	607	596	684	822	921	1,040	1,032	1,188	1,247	1,372	
Rate	150.9	124.9	120.4	128.8	129.6	129.3	114.0	115.4	105.5	104.1	

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

Patients alive on the waiting list at any time during the year are counted. Period at risk begins the later of January 1 or waiting list registration and ends on the earlier of December 31, date of death, or date of removal for other reasons. Please see Technical Notes for further details about death rate computation.

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Table 5.3 (Continued)
Reported Deaths and Annual Death Rates Per 1,000 Patient-Years at Risk, 1999 to 2008
Kidney Waiting List

Ethnicity/Race		Year									
		1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
Total	Patients	57,058	60,540	64,162	68,168	71,793	76,806	82,336	88,685	94,622	99,750
	Deaths	3,318	3,125	3,368	3,731	3,858	4,040	4,143	4,454	4,456	4,638
	Rate	84.0	73.6	73.5	76.8	75.0	73.4	70.5	70.4	65.0	63.3
White	Patients	26,662	27,493	28,433	29,611	30,417	32,066	34,360	36,891	38,925	40,618
	Deaths	1,700	1,562	1,634	1,740	1,790	1,819	1,836	2,039	2,030	2,090
	Rate	98.7	86.7	85.8	88.1	88.2	85.2	80.7	83.1	76.8	74.5
African American	Patients	19,300	20,740	22,121	23,434	24,604	26,135	27,716	29,660	31,693	33,371
	Deaths	1,049	1,062	1,131	1,276	1,286	1,401	1,407	1,468	1,451	1,542
	Rate	72.8	68.1	67.3	71.5	68.2	70.2	67.0	65.6	60.1	59.7
Other/Multi-race	Patients	718	759	826	938	994	1,140	1,222	1,301	1,339	1,404
	Deaths	38	34	50	47	58	51	56	59	63	63
	Rate	74.3	62.0	83.6	69.6	79.5	63.3	62.2	63.1	63.8	59.9
Asian	Patients	3,272	3,637	3,984	4,370	4,802	5,281	5,747	6,118	6,626	7,014
	Deaths	149	129	158	178	201	198	220	244	256	249
	Rate	62.5	48.5	53.0	54.2	55.2	50.0	51.0	53.2	51.0	46.1
Hispanic/Latino	Patients	7,106	7,911	8,798	9,814	10,976	12,184	13,291	14,715	16,039	17,343
	Deaths	382	338	395	490	523	571	624	644	656	694
	Rate	76.8	60.0	61.9	69.7	66.0	63.9	63.7	59.5	54.5	53.3
Unknown	Patients	-	-	-	1	-	-	-	-	-	-
	Deaths	-	-	-	-	-	-	-	-	-	-
	Rate	-	-	-	*	-	-	-	-	-	-

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

Patients alive on the waiting list at any time during the year are counted. Period at risk begins the later of January 1 or waiting list registration and ends on the earlier of December 31, date of death, or date of removal for other reasons. Please see Technical Notes for further details about death rate computation.

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Table 5.3 (Continued)
Reported Deaths and Annual Death Rates Per 1,000 Patient-Years at Risk, 1999 to 2008
Kidney Waiting List

Gender		Year									
		1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
Total	Patients	57,058	60,540	64,162	68,168	71,793	76,806	82,336	88,685	94,622	99,750
	Deaths	3,318	3,125	3,368	3,731	3,858	4,040	4,143	4,454	4,456	4,638
	Rate	84.0	73.6	73.5	76.8	75.0	73.4	70.5	70.4	65.0	63.3
Female	Patients	23,951	25,448	26,985	28,653	30,101	32,073	34,102	36,487	39,032	41,116
	Deaths	1,414	1,365	1,426	1,607	1,574	1,726	1,702	1,843	1,796	1,977
	Rate	84.0	76.0	73.3	78.0	72.0	74.0	69.0	69.8	62.5	64.4
Male	Patients	33,107	35,092	37,177	39,515	41,692	44,733	48,234	52,198	55,590	58,634
	Deaths	1,904	1,760	1,942	2,124	2,284	2,314	2,441	2,611	2,660	2,661
	Rate	84.0	71.9	73.7	75.8	77.2	73.1	71.7	70.8	66.7	62.4

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

Patients alive on the waiting list at any time during the year are counted. Period at risk begins the later of January 1 or waiting list registration and ends on the earlier of December 31, date of death, or date of removal for other reasons. Please see Technical Notes for further details about death rate computation.

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Table 5.3 (Continued)
Reported Deaths and Annual Death Rates Per 1,000 Patient-Years at Risk, 1999 to 2008
Kidney Waiting List

Blood Type		Year									
		1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
Total	Patients	57,058	60,540	64,162	68,168	71,793	76,806	82,336	88,685	94,622	99,750
	Deaths	3,318	3,125	3,368	3,731	3,858	4,040	4,143	4,454	4,456	4,638
	Rate	84.0	73.6	73.5	76.8	75.0	73.4	70.5	70.4	65.0	63.3
A	Patients	17,197	18,107	19,141	20,197	21,159	22,688	24,421	26,433	28,196	29,808
	Deaths	952	928	976	1,050	1,164	1,145	1,134	1,350	1,321	1,319
	Rate	85.4	77.8	76.1	77.3	81.8	74.7	69.3	75.8	67.7	63.2
AB	Patients	1,755	1,813	1,962	2,109	2,204	2,357	2,597	2,856	3,040	3,163
	Deaths	110	75	85	100	114	138	106	146	109	143
	Rate	107.1	69.1	69.4	75.9	80.9	92.1	64.7	82.9	54.9	67.0
B	Patients	9,159	9,709	10,322	10,963	11,598	12,372	13,184	14,026	14,916	15,749
	Deaths	570	487	574	612	631	658	708	700	745	727
	Rate	85.6	67.9	74.1	74.9	72.4	71.1	71.9	67.2	66.5	61.0
O	Patients	28,947	30,911	32,737	34,899	36,832	39,389	42,134	45,370	48,470	51,030
	Deaths	1,686	1,635	1,733	1,969	1,949	2,099	2,195	2,258	2,281	2,449
	Rate	81.6	73.4	72.2	77.1	71.9	72.6	71.1	67.9	63.5	63.8

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

Patients alive on the waiting list at any time during the year are counted. Period at risk begins the later of January 1 or waiting list registration and ends on the earlier of December 31, date of death, or date of removal for other reasons. Please see Technical Notes for further details about death rate computation.

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Table 5.3 (Continued)
Reported Deaths and Annual Death Rates Per 1,000 Patient-Years at Risk, 1999 to 2008
Kidney Waiting List

Primary Diagnosis	Year										
	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
Total											
Patients	57,058	60,540	64,162	68,168	71,793	76,806	82,336	88,685	94,622	99,750	
Deaths	3,318	3,125	3,368	3,731	3,858	4,040	4,143	4,454	4,456	4,638	
Rate	84.0	73.6	73.5	76.8	75.0	73.4	70.5	70.4	65.0	63.3	
Glomerular Diseases											
Patients	13,268	13,879	14,391	15,209	15,728	16,530	17,297	18,337	19,003	19,678	
Deaths	483	449	520	543	582	573	561	579	612	581	
Rate	51.7	45.4	50.0	49.9	51.1	48.1	45.1	44.1	44.0	39.6	
Diabetes											
Patients	13,758	14,345	15,603	17,008	18,341	20,108	22,058	24,424	26,834	28,906	
Deaths	1,351	1,213	1,320	1,474	1,488	1,570	1,651	1,799	1,883	1,949	
Rate	149.2	125.0	121.4	124.6	115.3	109.9	105.4	103.5	97.4	92.7	
Hypertensive Nephrosclerosis											
Patients	9,613	10,713	11,853	12,869	13,766	15,141	16,743	18,382	19,939	21,479	
Deaths	421	483	509	608	603	689	750	799	805	902	
Rate	60.6	61.5	58.3	63.7	58.7	61.8	61.0	58.8	54.1	56.0	
Polycystic Kidneys											
Patients	3,827	4,117	4,268	4,507	4,761	4,960	5,438	5,833	6,281	6,610	
Deaths	112	123	114	144	147	152	147	182	147	154	
Rate	43.4	43.5	38.3	46.1	44.9	44.1	39.9	45.5	33.4	32.2	
Tubular and Interstitial Diseases											
Patients	2,743	2,838	2,926	3,043	3,104	3,180	3,315	3,383	3,550	3,633	
Deaths	145	128	146	146	123	159	175	144	155	183	
Rate	76.3	65.5	71.1	68.8	55.9	71.0	76.1	60.0	60.6	69.7	
Renovascular & Other Vascular Diseases											
Patients	3,130	3,300	3,358	3,514	3,635	3,663	3,418	3,278	3,160	3,080	
Deaths	203	173	174	187	191	202	174	189	188	138	
Rate	90.0	73.2	69.3	71.4	69.6	71.7	65.9	76.4	77.5	58.4	
Congenital, Rare Familial, & Metabolic Disorders											
Patients	1,018	1,033	1,140	1,243	1,343	1,346	1,421	1,464	1,487	1,548	
Deaths	28	23	22	32	37	36	39	39	31	27	
Rate	41.8	32.7	28.4	37.9	41.0	37.8	39.8	39.2	30.2	24.8	

(Continued)

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

Patients alive on the waiting list at any time during the year are counted. Period at risk begins the later of January 1 or waiting list registration and ends on the earlier of December 31, date of death, or date of removal for other reasons. Please see Technical Notes for further details about death rate computation.

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Table 5.3 (Continued)
Reported Deaths and Annual Death Rates Per 1,000 Patient-Years at Risk, 1999 to 2008
Kidney Waiting List

Primary Diagnosis		Year									
		1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
Neoplasms	Patients	138	166	177	176	170	199	215	238	260	277
	Deaths	10	11	13	17	10	16	11	16	18	11
	Rate	106.7	99.8	118.0	149.3	83.0	124.6	76.9	101.5	104.2	54.8
Other	Patients	6,620	7,329	7,754	8,033	8,550	9,409	10,315	11,335	12,215	12,793
	Deaths	349	341	367	411	461	464	462	541	466	547
	Rate	76.9	68.0	67.5	72.1	77.4	71.1	64.5	69.1	53.9	58.6
Not Collected	Patients	648	467	354	283	215	176	138	110	93	79
	Deaths	88	44	30	29	23	19	16	8	7	6
	Rate	163.8	110.2	96.0	120.6	119.3	125.4	128.8	78.0	83.9	88.0
Unknown	Patients	2,295	2,353	2,338	2,283	2,180	2,094	1,978	1,901	1,800	1,667
	Deaths	128	137	153	140	193	160	157	158	144	140
	Rate	81.4	84.4	94.5	88.0	128.0	113.7	119.6	131.1	125.8	130.7

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

Patients alive on the waiting list at any time during the year are counted. Period at risk begins the later of January 1 or waiting list registration and ends on the earlier of December 31, date of death, or date of removal for other reasons. Please see Technical Notes for further details about death rate computation.

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Table 5.3 (Continued)
Reported Deaths and Annual Death Rates Per 1,000 Patient-Years at Risk, 1999 to 2008
Kidney Waiting List

Waitlist Center State	Year										
	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
Total											
Patients	57,058	60,540	64,162	68,168	71,793	76,806	82,336	88,685	94,622	99,750	
Deaths	3,318	3,125	3,368	3,731	3,858	4,040	4,143	4,454	4,456	4,638	
Rate	84.0	73.6	73.5	76.8	75.0	73.4	70.5	70.4	65.0	63.3	
Alabama											
Patients	1,415	1,602	1,840	2,066	2,241	2,423	2,668	2,852	3,075	3,154	
Deaths	54	78	81	132	120	148	184	192	181	199	
Rate	52.6	68.3	61.6	85.4	70.1	78.4	89.5	87.2	74.7	77.8	
Arkansas											
Patients	296	288	293	303	293	274	284	342	350	360	
Deaths	21	17	15	11	15	16	15	17	19	19	
Rate	101.6	81.7	71.3	51.1	75.5	92.4	92.7	90.3	89.5	80.4	
Arizona											
Patients	731	782	921	941	987	1,077	1,170	1,375	1,528	1,668	
Deaths	36	26	30	31	34	38	41	53	40	56	
Rate	74.8	48.6	49.4	49.3	51.0	54.4	53.1	59.7	39.8	49.0	
California											
Patients	9,326	10,251	11,339	12,576	13,887	15,426	16,682	17,820	18,750	19,195	
Deaths	604	545	619	690	772	863	912	961	958	902	
Rate	90.4	72.8	73.1	73.7	73.8	74.3	71.1	70.1	65.5	60.1	
Colorado											
Patients	722	776	832	860	890	923	1,072	1,171	1,267	1,414	
Deaths	41	27	34	49	49	29	41	42	48	68	
Rate	84.8	49.8	56.5	81.9	81.5	44.2	57.9	50.3	51.3	65.4	
Connecticut											
Patients	583	598	645	672	638	635	612	590	693	910	
Deaths	38	32	38	39	38	46	39	40	38	35	
Rate	84.9	72.2	79.9	77.4	75.0	97.8	85.8	89.1	76.1	54.5	
District of Columbia											
Patients	986	991	1,117	1,177	1,238	1,318	1,293	1,343	1,317	1,288	
Deaths	68	52	78	78	69	84	82	55	66	53	
Rate	96.8	68.3	94.3	87.0	72.9	81.5	83.2	55.9	64.1	52.0	
Delaware											
Patients	14	18	20	20	20	34	43	68	164	264	
Deaths	-	-	-	-	-	1	-	1	5	7	
Rate	-	-	-	-	-	43.1	-	19.7	50.1	36.2	

(Continued)

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

Patients alive on the waiting list at any time during the year are counted. Period at risk begins the later of January 1 or waiting list registration and ends on the earlier of December 31, date of death, or date of removal for other reasons. Please see Technical Notes for further details about death rate computation.

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Table 5.3 (Continued)
Reported Deaths and Annual Death Rates Per 1,000 Patient-Years at Risk, 1999 to 2008
Kidney Waiting List

Waitlist Center State		Year									
		1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
Florida	Patients	2,172	2,300	2,613	2,810	2,988	3,194	3,413	3,685	3,964	4,082
	Deaths	100	103	111	119	141	148	119	163	153	200
	Rate	73.4	69.4	65.3	62.3	68.8	69.2	53.1	66.9	57.2	70.9
Georgia	Patients	981	1,210	1,267	1,304	1,451	1,588	1,671	1,924	2,210	2,726
	Deaths	52	41	42	58	68	66	71	77	79	97
	Rate	85.0	55.7	50.1	64.4	68.5	59.6	61.6	57.8	50.0	49.9
Hawaii	Patients	217	243	301	347	352	406	403	356	361	354
	Deaths	6	7	9	16	11	11	14	22	18	17
	Rate	37.6	39.6	39.3	62.4	37.6	35.6	45.2	79.6	65.4	62.7
Iowa	Patients	289	297	341	359	370	367	388	412	478	555
	Deaths	16	13	16	16	13	17	9	13	15	21
	Rate	93.2	74.7	76.5	69.4	55.3	68.9	34.1	49.1	47.6	59.2
Illinois	Patients	2,836	3,001	2,990	3,189	3,401	3,565	3,814	4,097	4,200	4,381
	Deaths	170	196	213	209	243	249	223	238	229	229
	Rate	83.9	89.6	93.8	90.8	99.9	95.4	81.2	79.6	72.6	68.7
Indiana	Patients	514	525	535	557	592	633	735	855	1,015	1,135
	Deaths	19	20	23	21	16	20	18	40	47	42
	Rate	55.5	58.7	64.1	61.5	47.4	55.8	44.1	74.8	69.9	54.6
Kansas	Patients	193	181	207	245	245	254	263	300	352	423
	Deaths	6	3	6	6	9	10	9	7	5	11
	Rate	59.4	29.9	49.9	42.0	58.8	65.7	58.0	39.3	22.8	42.0
Kentucky	Patients	369	414	440	440	432	421	426	466	512	535
	Deaths	15	19	16	12	19	27	18	23	36	31
	Rate	76.8	76.7	56.4	42.5	66.2	94.6	67.8	88.4	112.6	91.6
Louisiana	Patients	1,044	1,144	1,209	1,289	1,430	1,525	1,497	1,611	1,776	1,986
	Deaths	54	43	53	65	76	89	77	75	83	110
	Rate	73.0	52.9	60.3	68.2	73.5	80.2	66.0	62.2	63.7	75.3

(Continued)

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

Patients alive on the waiting list at any time during the year are counted. Period at risk begins the later of January 1 or waiting list registration and ends on the earlier of December 31, date of death, or date of removal for other reasons. Please see Technical Notes for further details about death rate computation.

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Table 5.3 (Continued)
Reported Deaths and Annual Death Rates Per 1,000 Patient-Years at Risk, 1999 to 2008
Kidney Waiting List

Waitlist Center State	Year										
	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
Massachusetts	Patients	1,391	1,422	1,491	1,519	1,604	1,798	1,879	1,905	1,942	2,057
	Deaths	105	86	74	86	82	103	114	104	102	104
	Rate	106.0	83.2	69.1	80.9	73.0	82.5	85.4	79.0	74.2	69.9
Maryland	Patients	2,062	2,206	2,127	2,089	1,925	1,940	1,950	1,945	1,776	1,710
	Deaths	188	160	156	150	143	139	127	132	106	94
	Rate	134.6	112.0	104.5	98.3	97.4	97.1	91.6	97.6	82.2	78.3
Maine	Patients	167	190	168	148	148	143	181	229	209	170
	Deaths	1	9	7	4	-	4	10	8	6	3
	Rate	9.5	75.1	62.7	42.4	-	40.0	90.3	60.1	46.1	24.3
Michigan	Patients	2,071	2,068	2,148	2,253	2,273	2,542	2,831	3,138	3,237	3,275
	Deaths	151	118	124	131	107	130	137	145	167	152
	Rate	105.2	78.8	82.2	83.8	67.0	75.1	71.0	65.5	70.3	64.0
Minnesota	Patients	1,087	1,094	1,062	1,170	1,259	1,328	1,455	1,633	1,787	1,904
	Deaths	55	46	44	57	59	57	63	81	77	73
	Rate	81.8	67.4	64.4	74.7	71.6	63.5	64.8	74.5	63.2	54.0
Missouri	Patients	1,176	1,189	1,184	1,209	1,241	1,410	1,525	1,682	1,702	1,693
	Deaths	68	52	60	58	73	69	69	75	76	64
	Rate	89.1	64.5	71.8	66.6	80.9	73.4	64.7	67.5	65.3	53.3
Mississippi	Patients	215	219	219	215	208	208	237	278	341	298
	Deaths	9	12	11	2	5	5	4	13	10	8
	Rate	54.7	70.7	68.4	13.8	32.1	30.5	21.7	58.7	41.3	36.8
North Carolina	Patients	1,805	1,913	1,964	2,143	2,300	2,344	2,503	2,608	2,788	2,932
	Deaths	92	102	106	110	121	135	106	125	116	131
	Rate	67.9	71.3	69.9	68.9	70.3	75.7	57.8	64.7	56.7	60.7
North Dakota	Patients	110	129	157	157	136	126	120	130	136	127
	Deaths	5	7	6	5	7	6	3	5	8	5
	Rate	69.5	78.5	61.1	47.9	76.3	69.8	36.6	57.6	86.8	56.1

(Continued)

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

Patients alive on the waiting list at any time during the year are counted. Period at risk begins the later of January 1 or waiting list registration and ends on the earlier of December 31, date of death, or date of removal for other reasons. Please see Technical Notes for further details about death rate computation.

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Table 5.3 (Continued)
Reported Deaths and Annual Death Rates Per 1,000 Patient-Years at Risk, 1999 to 2008
Kidney Waiting List

Waitlist Center State	Year										
	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
Nebraska	Patients	251	250	241	241	261	271	307	360	350	358
	Deaths	5	20	14	18	15	16	13	19	17	16
	Rate	31.8	120.3	86.4	116.2	97.1	90.7	68.4	85.8	72.4	66.2
New Hampshire	Patients	54	51	63	77	114	117	123	124	142	150
	Deaths	4	1	4	-	4	6	7	9	5	9
	Rate	115.7	28.3	101.9	-	68.0	77.1	91.0	125.3	60.6	91.5
New Jersey	Patients	1,886	2,053	2,217	2,243	2,425	2,566	2,640	2,649	2,825	2,911
	Deaths	109	98	99	135	152	148	156	145	172	136
	Rate	80.4	66.0	61.0	79.7	85.6	79.3	81.1	73.5	83.6	62.2
New Mexico	Patients	308	315	308	327	334	334	349	370	364	408
	Deaths	15	19	12	16	18	9	17	16	14	12
	Rate	63.0	77.6	51.6	65.1	71.4	33.8	64.1	63.4	51.3	39.4
Nevada	Patients	231	270	274	281	262	253	282	307	346	297
	Deaths	15	21	19	15	13	9	11	11	15	20
	Rate	105.7	121.7	97.8	76.7	71.1	54.7	60.5	53.9	62.1	89.6
New York	Patients	4,790	5,003	4,995	5,132	5,166	5,447	5,988	6,568	7,107	7,837
	Deaths	361	298	339	371	337	330	380	388	382	435
	Rate	99.8	79.8	88.0	95.4	84.6	79.9	87.2	83.5	74.6	76.3
Ohio	Patients	1,913	2,024	2,203	2,268	2,325	2,452	2,605	2,795	2,946	2,966
	Deaths	105	86	127	134	130	139	137	153	127	133
	Rate	84.9	63.3	85.1	83.9	77.0	80.0	75.4	78.7	61.3	62.0
Oklahoma	Patients	458	457	461	491	478	439	452	483	521	619
	Deaths	26	31	23	21	28	25	16	29	23	28
	Rate	85.3	109.4	80.3	68.8	91.7	90.8	55.3	93.6	65.9	71.7
Oregon	Patients	295	277	303	348	414	438	499	537	543	583
	Deaths	10	13	12	10	21	12	13	15	13	22
	Rate	59.5	83.8	78.3	53.4	94.6	45.4	41.1	45.4	35.8	53.7

(Continued)

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

Patients alive on the waiting list at any time during the year are counted. Period at risk begins the later of January 1 or waiting list registration and ends on the earlier of December 31, date of death, or date of removal for other reasons. Please see Technical Notes for further details about death rate computation.

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Table 5.3 (Continued)
Reported Deaths and Annual Death Rates Per 1,000 Patient-Years at Risk, 1999 to 2008
Kidney Waiting List

Waitlist Center State	Year										
	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
Pennsylvania											
Patients	3,630	3,801	3,923	4,102	4,310	4,619	5,057	5,562	5,948	6,374	
Deaths	182	220	194	229	224	238	234	282	282	294	
Rate	74.4	84.6	71.2	81.7	78.3	77.2	67.9	73.7	66.3	63.5	
Puerto Rico											
Patients	267	325	342	357	375	429	474	482	505	520	
Deaths	27	28	28	43	32	34	31	28	36	36	
Rate	141.4	120.6	106.6	158.9	114.9	108.8	90.3	74.6	97.2	102.0	
Rhode Island											
Patients	216	224	241	210	203	190	193	192	195	196	
Deaths	14	11	12	11	10	7	9	5	9	11	
Rate	89.9	71.4	74.5	81.8	84.5	54.4	73.8	38.5	70.2	81.2	
South Carolina											
Patients	582	619	683	705	716	721	734	714	830	847	
Deaths	28	27	32	38	36	27	34	39	28	24	
Rate	74.4	63.9	69.6	74.2	67.1	51.0	66.2	73.3	51.2	38.9	
South Dakota											
Patients	118	120	121	133	138	153	174	170	201	221	
Deaths	8	8	3	3	7	2	6	2	5	7	
Rate	106.5	102.4	33.6	34.5	83.6	23.5	60.3	17.3	38.9	45.8	
Tennessee											
Patients	1,234	1,334	1,399	1,515	1,546	1,700	1,786	1,918	2,028	2,142	
Deaths	51	66	71	84	70	78	86	89	84	69	
Rate	58.3	71.6	72.8	81.1	65.8	66.4	68.3	66.0	59.7	44.3	
Texas											
Patients	3,534	3,859	4,322	4,821	5,139	5,400	5,823	6,548	7,491	8,261	
Deaths	149	139	182	211	233	203	229	246	281	377	
Rate	65.6	53.3	61.5	63.8	65.6	53.0	56.3	54.5	52.9	62.5	
Utah											
Patients	237	213	220	222	236	255	216	242	249	272	
Deaths	7	7	9	7	4	11	7	5	7	6	
Rate	53.0	54.7	70.7	53.5	31.6	85.4	57.0	39.3	54.5	38.6	
Virginia											
Patients	1,623	1,636	1,715	1,806	1,983	2,071	2,304	2,557	2,677	2,690	
Deaths	80	83	88	94	103	116	118	135	135	132	
Rate	66.3	67.3	70.5	72.3	72.2	75.9	74.5	75.1	70.0	66.0	

(Continued)

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

Patients alive on the waiting list at any time during the year are counted. Period at risk begins the later of January 1 or waiting list registration and ends on the earlier of December 31, date of death, or date of removal for other reasons. Please see Technical Notes for further details about death rate computation.

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Table 5.3 (Continued)
Reported Deaths and Annual Death Rates Per 1,000 Patient-Years at Risk, 1999 to 2008
Kidney Waiting List

Waitlist Center State	Year										
	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
Vermont	Patients	47	47	38	50	76	85	105	126	119	130
	Deaths	1	2	1	-	1	8	2	5	4	5
	Rate	31.7	78.8	33.1	-	22.4	152.6	29.7	64.3	51.6	58.8
Washington	Patients	1,028	1,025	1,026	1,077	1,126	1,174	1,264	1,351	1,497	1,584
	Deaths	62	48	43	51	54	41	46	44	60	55
	Rate	86.3	68.0	59.4	68.6	70.8	52.8	54.6	45.1	56.0	48.3
Wisconsin	Patients	1,420	1,429	1,474	1,526	1,445	1,604	1,634	1,593	1,583	1,561
	Deaths	75	77	74	75	63	64	76	64	58	62
	Rate	77.3	80.0	72.3	74.1	65.4	62.2	70.2	58.8	56.7	61.8
West Virginia	Patients	164	157	163	178	172	186	212	222	225	227
	Deaths	10	8	10	10	13	7	10	18	11	18
	Rate	113.4	85.7	92.8	84.1	111.3	55.3	68.0	117.3	71.9	110.2

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

Patients alive on the waiting list at any time during the year are counted. Period at risk begins the later of January 1 or waiting list registration and ends on the earlier of December 31, date of death, or date of removal for other reasons. Please see Technical Notes for further details about death rate computation.

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.