

Table 6.14
Unadjusted Patient Survival, Pancreas Transplant Alone (PTA) Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2006 - 2007)			(Tx 2006 - 2007)			(Tx 2002 - 2007)			(Tx 1997 - 2007)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	178	98.9%	0.8%	178	97.8%	1.1%	598	88.7%	1.6%	990	76.1%	2.4%
Age at Tx												
6-11 Years	0	-	-	0	-	-	0	-	-	1	100.0%	0.0%
12-17 Years	0	-	-	0	-	-	2	100.0%	0.0%	4	100.0%	0.0%
18-34 Years	41	100.0%	0.0%	41	100.0%	0.0%	151	88.4%	3.1%	273	72.8%	4.7%
35-49 Years	102	98.0%	1.4%	102	98.0%	1.4%	337	90.8%	2.0%	552	79.8%	3.0%
50-64 Years	35	100.0%	0.0%	35	94.3%	3.9%	105	81.9%	4.3%	157	68.1%	5.8%
65+ Years	0	-	-	0	-	-	3	100.0%	0.0%	3	+	+
Recipient Ethnicity/Race												
White	167	99.4%	0.6%	167	98.2%	1.0%	569	89.1%	1.6%	944	76.2%	2.5%
African American	6	83.3%	15.2%	6	83.3%	15.2%	13	92.3%	7.4%	20	+	+
Hispanic/Latino	4	100.0%	0.0%	4	100.0%	0.0%	13	67.5%	15.5%	20	75.6%	10.6%
Asian	0	-	-	0	-	-	0	-	-	1	+	+
Other/Multi-race	1	100.0%	0.0%	1	100.0%	0.0%	3	100.0%	0.0%	5	100.0%	0.0%
Recipient Gender												
Female	102	99.0%	1.0%	102	99.0%	1.0%	367	88.2%	2.0%	593	74.6%	3.1%
Male	76	98.7%	1.3%	76	96.1%	2.2%	231	89.4%	2.6%	397	78.3%	3.6%
Recipient Blood Type												
O	64	100.0%	0.0%	64	100.0%	0.0%	255	89.4%	2.3%	417	72.5%	4.2%
A	94	98.9%	1.1%	94	96.8%	1.8%	257	88.2%	2.5%	427	77.8%	3.1%
B	12	100.0%	0.0%	12	100.0%	0.0%	62	89.1%	4.8%	104	84.9%	4.7%
AB	8	87.5%	11.7%	8	87.5%	11.7%	24	85.0%	8.2%	42	74.7%	10.8%

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on pancreas and kidney-pancreas transplants.

Multi-organ transplants are excluded.

Table 6.14 (Continued)
Unadjusted Patient Survival, Pancreas Transplant Alone (PTA) Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2006 - 2007)			(Tx 2006 - 2007)			(Tx 2002 - 2007)			(Tx 1997 - 2007)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	178	98.9%	0.8%	178	97.8%	1.1%	598	88.7%	1.6%	990	76.1%	2.4%
Recipient Residency												
U.S. Resident	178	98.9%	0.8%	178	97.8%	1.1%	597	88.6%	1.6%	986	76.1%	2.4%
Nonresident Alien	0	-	-	0	-	-	1	100.0%	0.0%	2	+	+
Unknown	0	-	-	0	-	-	0	-	-	2	50.0%	35.4%
Hospitalized at Tx												
Not Hospitalized	178	98.9%	0.8%	178	97.8%	1.1%	593	88.7%	1.6%	979	76.2%	2.4%
Hospitalized	0	-	-	0	-	-	5	80.0%	17.9%	9	+	+
In Intensive Care	0	-	-	0	-	-	0	-	-	1	+	+
Unknown	0	-	-	0	-	-	0	-	-	1	+	+
Cold Ischemic Time												
0-11 Hours	62	98.4%	1.6%	62	96.8%	2.2%	167	83.2%	4.2%	234	67.1%	7.4%
12-21 Hours	76	98.7%	1.3%	76	97.4%	1.8%	269	90.8%	2.1%	473	79.7%	2.9%
22-31 Hours	11	100.0%	0.0%	11	100.0%	0.0%	48	88.2%	5.0%	102	70.0%	7.2%
32-41 Hours	0	-	-	0	-	-	4	75.0%	21.7%	6	+	+
42+ Hours	0	-	-	0	-	-	1	100.0%	0.0%	1	+	+
Unknown	29	100.0%	0.0%	29	100.0%	0.0%	109	90.2%	3.4%	174	81.5%	3.6%
Yearly Center Volume												
0-4	8	100.0%	0.0%	8	100.0%	0.0%	22	95.5%	4.4%	65	85.8%	6.2%
5-7	11	100.0%	0.0%	11	100.0%	0.0%	39	91.1%	6.3%	69	87.0%	5.9%
8-11	20	100.0%	0.0%	20	100.0%	0.0%	44	92.8%	4.0%	78	74.8%	10.5%
12-19	26	100.0%	0.0%	26	96.2%	3.8%	86	85.6%	5.5%	143	66.8%	6.2%
20+	113	98.2%	1.2%	113	97.3%	1.5%	407	88.2%	1.9%	635	76.3%	3.0%
Donor Age												
<1 Year	0	-	-	0	-	-	0	-	-	1	+	+
6-11 Years	5	100.0%	0.0%	5	100.0%	0.0%	13	100.0%	0.0%	27	79.0%	9.9%
12-17 Years	31	96.8%	3.2%	31	96.8%	3.2%	117	94.7%	2.4%	198	84.1%	4.2%
18-34 Years	108	99.1%	0.9%	108	98.1%	1.3%	345	85.1%	2.3%	526	70.9%	3.7%
35-49 Years	32	100.0%	0.0%	32	96.9%	3.1%	113	92.2%	3.1%	214	79.7%	5.2%
50-64 Years	2	100.0%	0.0%	2	100.0%	0.0%	10	87.5%	11.7%	24	78.2%	9.9%

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on pancreas and kidney-pancreas transplants.

Multi-organ transplants are excluded.

Table 6.14 (Continued)
Unadjusted Patient Survival, Pancreas Transplant Alone (PTA) Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2006 - 2007)			(Tx 2006 - 2007)			(Tx 2002 - 2007)			(Tx 1997 - 2007)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	178	98.9%	0.8%	178	97.8%	1.1%	598	88.7%	1.6%	990	76.1%	2.4%
A Locus Mismatch												
0	25	96.0%	3.9%	25	96.0%	3.9%	108	89.3%	3.3%	187	76.8%	5.6%
1	86	100.0%	0.0%	86	98.8%	1.2%	278	88.3%	2.3%	483	76.8%	3.3%
2	67	98.5%	1.5%	67	97.0%	2.1%	212	88.8%	2.7%	320	75.3%	3.9%
B Locus Mismatch												
0	10	100.0%	0.0%	10	100.0%	0.0%	55	87.5%	4.8%	105	76.0%	8.4%
1	62	98.4%	1.6%	62	96.8%	2.2%	224	89.5%	2.5%	405	76.5%	3.5%
2	106	99.1%	0.9%	106	98.1%	1.3%	319	88.2%	2.3%	480	76.3%	3.2%
DR Locus Mismatch												
0	19	94.7%	5.1%	19	94.7%	5.1%	67	92.8%	3.5%	131	74.9%	6.8%
1	81	100.0%	0.0%	81	97.5%	1.7%	280	88.3%	2.4%	465	77.6%	3.2%
2	78	98.7%	1.3%	78	98.7%	1.3%	251	88.0%	2.5%	393	75.9%	3.5%
Unknown	0	-	-	0	-	-	0	-	-	1	+	+
Total Mismatch												
0	3	100.0%	0.0%	3	100.0%	0.0%	13	91.7%	8.0%	23	50.2%	22.0%
1	3	66.7%	27.2%	3	66.7%	27.2%	23	87.0%	7.0%	43	88.4%	5.8%
2	14	100.0%	0.0%	14	100.0%	0.0%	59	91.9%	4.1%	126	79.6%	5.0%
3	34	100.0%	0.0%	34	97.1%	2.9%	127	87.6%	3.7%	226	78.4%	4.8%
4	51	100.0%	0.0%	51	100.0%	0.0%	140	91.8%	2.5%	215	79.6%	4.7%
5	44	100.0%	0.0%	44	97.7%	2.2%	152	85.4%	3.6%	234	68.9%	5.1%
6	29	96.6%	3.4%	29	96.6%	3.4%	84	90.0%	4.0%	122	82.3%	4.2%
Unknown	0	-	-	0	-	-	0	-	-	1	+	+

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on pancreas and kidney-pancreas transplants.

Multi-organ transplants are excluded.

Table 6.14 (Continued)
Unadjusted Patient Survival, Pancreas Transplant Alone (PTA) Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2006 - 2007)			(Tx 2006 - 2007)			(Tx 2002 - 2007)			(Tx 1997 - 2007)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	178	98.9%	0.8%	178	97.8%	1.1%	598	88.7%	1.6%	990	76.1%	2.4%
Transplant Center State												
Arizona	2	100.0%	0.0%	2	100.0%	0.0%	4	+	+	4	+	+
California	5	100.0%	0.0%	5	100.0%	0.0%	30	81.6%	7.6%	37	82.7%	6.5%
Colorado	0	-	-	0	-	-	0	-	-	3	100.0%	0.0%
Connecticut	1	100.0%	0.0%	1	100.0%	0.0%	3	66.7%	27.2%	11	79.5%	13.1%
District of Columbia	0	-	-	0	-	-	1	100.0%	0.0%	2	100.0%	0.0%
Florida	4	100.0%	0.0%	4	100.0%	0.0%	26	81.5%	10.1%	30	85.4%	8.0%
Iowa	0	-	-	0	-	-	1	100.0%	0.0%	7	+	+
Illinois	19	100.0%	0.0%	19	94.7%	5.1%	55	92.5%	4.5%	64	78.8%	12.6%
Indiana	23	95.7%	4.3%	23	95.7%	4.3%	35	97.1%	2.8%	37	97.3%	2.7%
Kansas	0	-	-	0	-	-	1	0.0%	0.0%	1	0.0%	0.0%
Kentucky	0	-	-	0	-	-	0	-	-	1	0.0%	0.0%
Louisiana	4	100.0%	0.0%	4	100.0%	0.0%	13	91.7%	8.0%	16	+	+
Massachusetts	9	100.0%	0.0%	9	100.0%	0.0%	28	100.0%	0.0%	29	+	+
Maryland	15	93.3%	6.4%	15	93.3%	6.4%	49	87.5%	5.4%	123	72.6%	5.0%
Michigan	3	100.0%	0.0%	3	100.0%	0.0%	11	75.0%	15.3%	12	+	+
Minnesota	34	100.0%	0.0%	34	97.1%	2.9%	165	84.4%	3.2%	323	73.5%	4.8%
Missouri	0	-	-	0	-	-	1	+	+	1	+	+
North Carolina	0	-	-	0	-	-	3	100.0%	0.0%	4	+	+
North Dakota	1	100.0%	0.0%	1	100.0%	0.0%	2	100.0%	0.0%	2	+	+
Nebraska	4	100.0%	0.0%	4	100.0%	0.0%	8	100.0%	0.0%	11	85.7%	13.2%
New Hampshire	3	100.0%	0.0%	3	100.0%	0.0%	3	+	+	3	+	+
New Jersey	0	-	-	0	-	-	12	91.7%	8.0%	15	+	+
New York	2	100.0%	0.0%	2	100.0%	0.0%	8	83.3%	15.2%	22	+	+
Ohio	10	100.0%	0.0%	10	100.0%	0.0%	33	90.5%	5.2%	39	66.9%	16.6%
Pennsylvania	12	100.0%	0.0%	12	100.0%	0.0%	37	91.6%	6.1%	58	85.0%	6.6%
South Carolina	2	100.0%	0.0%	2	100.0%	0.0%	4	+	+	6	+	+
Tennessee	1	100.0%	0.0%	1	100.0%	0.0%	6	100.0%	0.0%	33	65.3%	10.0%
Texas	5	100.0%	0.0%	5	100.0%	0.0%	11	83.3%	15.2%	19	72.4%	14.2%
Utah	0	-	-	0	-	-	1	100.0%	0.0%	4	+	+
Virginia	4	100.0%	0.0%	4	100.0%	0.0%	6	+	+	8	+	+
Vermont	2	100.0%	0.0%	2	100.0%	0.0%	3	100.0%	0.0%	3	+	+
Washington	2	100.0%	0.0%	2	100.0%	0.0%	8	100.0%	0.0%	20	79.1%	11.1%
Wisconsin	11	100.0%	0.0%	11	100.0%	0.0%	30	100.0%	0.0%	42	88.9%	10.5%

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on pancreas and kidney-pancreas transplants.

Multi-organ transplants are excluded.