

Table 8.12
Adjusted Patient Survival, Kidney-Pancreas Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2006 - 2007)			(Tx 2006 - 2007)			(Tx 2002 - 2007)			(Tx 1997 - 2007)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	1,731	98.0%	0.3%	1,731	95.9%	0.5%	5,233	87.0%	0.6%	9,723	71.1%	0.7%
Age at Tx												
1-5 Years	0	-	-	0	-	-	0	-	-	1	0.0%	0.0%
6-11 Years	0	-	-	0	-	-	1	+	+	1	+	+
12-17 Years	0	-	-	0	-	-	1	+	+	2	+	+
18-34 Years	346	99.4%	0.4%	346	97.9%	0.8%	1,201	88.0%	1.2%	2,506	74.0%	1.3%
35-49 Years	1,037	97.8%	0.5%	1,037	95.5%	0.6%	3,117	87.5%	0.8%	5,805	71.6%	1.0%
50-64 Years	343	96.6%	1.0%	343	94.3%	1.2%	902	84.2%	1.6%	1,395	63.4%	2.6%
65+ Years	5	+	+	5	+	+	11	90.9%	8.3%	13	59.1%	17.7%
Recipient Ethnicity/Race												
White	1,280	98.2%	0.4%	1,280	96.2%	0.5%	3,900	87.6%	0.7%	7,612	71.5%	0.8%
African American	261	96.9%	1.1%	261	94.6%	1.4%	773	82.2%	2.0%	1,246	66.2%	2.3%
Hispanic/Latino	148	97.4%	1.3%	148	95.4%	1.7%	451	88.6%	1.9%	703	73.3%	3.0%
Asian	23	+	+	23	+	+	75	93.7%	3.0%	108	77.7%	8.2%
Other/Multi-race	19	100.0%	0.0%	19	94.2%	5.4%	34	88.1%	5.5%	54	66.6%	12.1%
Recipient Gender												
Female	633	98.4%	0.5%	633	96.7%	0.7%	1,968	86.5%	1.0%	3,838	70.3%	1.2%
Male	1,098	97.7%	0.4%	1,098	95.4%	0.6%	3,265	87.4%	0.7%	5,885	71.5%	1.0%

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on Kidney-Pancreas transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

Table 8.12 (Continued)
Adjusted Patient Survival, Kidney-Pancreas Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2006 - 2007)			(Tx 2006 - 2007)			(Tx 2002 - 2007)			(Tx 1997 - 2007)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	1,731	98.0%	0.3%	1,731	95.9%	0.5%	5,233	87.0%	0.6%	9,723	71.1%	0.7%
Transplant Center State												
Alabama	37	+	+	37	+	+	97	83.6%	5.6%	167	70.1%	6.0%
Arkansas	5	+	+	5	+	+	18	86.4%	8.8%	46	52.1%	11.4%
Arizona	70	98.6%	1.4%	70	97.3%	1.9%	132	92.3%	3.9%	182	80.0%	5.0%
California	207	98.7%	0.8%	207	96.9%	1.2%	646	88.3%	1.7%	1,184	71.9%	2.2%
Colorado	25	+	+	25	+	+	75	96.2%	2.6%	154	75.4%	5.0%
Connecticut	2	+	+	2	+	+	9	+	+	25	51.6%	15.1%
District of Columbia	13	100.0%	0.0%	13	93.1%	6.6%	51	88.2%	5.2%	117	72.6%	5.3%
Florida	131	97.9%	1.2%	131	95.7%	1.7%	423	84.6%	2.4%	641	65.4%	3.8%
Georgia	48	95.8%	2.9%	48	93.6%	3.5%	148	87.7%	3.2%	271	74.8%	3.9%
Hawaii	5	+	+	5	+	+	13	80.8%	11.8%	20	69.0%	12.9%
Iowa	13	+	+	13	+	+	53	92.8%	4.1%	117	83.3%	4.9%
Illinois	75	97.4%	1.8%	75	96.1%	2.2%	345	84.5%	2.4%	692	67.4%	2.8%
Indiana	59	98.5%	1.5%	59	98.5%	1.5%	151	84.2%	4.4%	183	71.7%	6.7%
Kansas	15	100.0%	0.0%	15	93.2%	6.2%	45	95.0%	3.4%	94	81.7%	4.7%
Kentucky	25	96.3%	3.6%	25	92.5%	5.0%	81	81.7%	5.3%	160	57.6%	7.1%
Louisiana	41	+	+	41	+	+	149	86.4%	3.4%	244	74.2%	3.8%
Massachusetts	7	+	+	7	+	+	22	95.5%	4.3%	47	72.9%	9.0%
Maryland	59	95.1%	2.7%	59	91.8%	3.5%	115	84.8%	6.6%	235	60.6%	4.4%
Maine	4	+	+	4	+	+	13	+	+	13	+	+
Michigan	51	92.4%	3.6%	51	92.4%	3.6%	109	88.8%	4.3%	172	80.1%	4.2%
Minnesota	41	93.6%	3.6%	41	91.4%	4.1%	122	74.8%	4.9%	332	67.7%	3.1%
Missouri	27	100.0%	0.0%	27	96.7%	3.2%	70	69.8%	9.5%	111	67.4%	5.8%
North Carolina	87	99.0%	1.0%	87	95.8%	2.1%	219	91.2%	2.4%	359	73.8%	3.8%
North Dakota	5	+	+	5	+	+	16	84.6%	9.8%	16	84.7%	9.7%
Nebraska	19	+	+	19	+	+	53	86.7%	5.8%	109	86.2%	5.0%
New Hampshire	7	+	+	7	+	+	7	+	+	7	+	+
New Jersey	41	95.5%	3.1%	41	93.2%	3.8%	98	84.1%	4.4%	179	72.8%	4.5%
Nevada	0	-	-	0	-	-	3	+	+	14	92.2%	7.2%
New York	34	97.2%	2.7%	34	94.4%	3.8%	110	80.3%	4.7%	260	70.5%	3.6%
Ohio	121	98.5%	1.1%	121	95.5%	1.8%	340	86.0%	2.4%	640	69.8%	2.7%
Oklahoma	12	+	+	12	+	+	34	91.2%	4.8%	56	72.2%	11.2%
Oregon	21	+	+	21	+	+	54	94.8%	3.6%	84	90.2%	5.0%
Pennsylvania	77	97.5%	1.7%	77	96.2%	2.1%	294	85.4%	2.5%	655	66.6%	2.8%

(Continued)

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on Kidney-Pancreas transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

Table 8.12 (Continued)
Adjusted Patient Survival, Kidney-Pancreas Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2006 - 2007)			(Tx 2006 - 2007)			(Tx 2002 - 2007)			(Tx 1997 - 2007)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Transplant Center State												
Puerto Rico	5	82.7%	14.0%	5	82.7%	14.0%	5	79.8%	16.1%	5	79.6%	16.2%
Rhode Island	2	100.0%	0.0%	2	52.1%	22.7%	5	80.6%	15.6%	5	80.8%	15.5%
South Carolina	22	100.0%	0.0%	22	95.5%	4.4%	68	91.5%	4.1%	141	74.0%	5.4%
South Dakota	0	-	-	0	-	-	2	+	+	2	+	+
Tennessee	52	100.0%	0.0%	52	94.8%	2.9%	129	87.5%	4.0%	262	69.8%	4.0%
Texas	86	97.7%	1.6%	86	96.6%	1.9%	281	86.1%	2.8%	514	70.9%	3.7%
Utah	23	95.7%	4.1%	23	95.7%	4.1%	65	93.7%	3.6%	102	78.8%	6.2%
Virginia	28	93.2%	4.6%	28	86.3%	6.3%	77	85.1%	4.6%	163	77.0%	5.0%
Vermont	5	+	+	5	+	+	14	92.9%	6.6%	15	0.0%	0.0%
Washington	43	100.0%	0.0%	43	95.5%	3.1%	132	95.1%	2.2%	250	68.9%	5.6%
Wisconsin	81	100.0%	0.0%	81	98.9%	1.1%	340	89.8%	2.0%	678	75.2%	2.7%

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on Kidney-Pancreas transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.