

Table 10.3
Reported Deaths and Annual Death Rates Per 1,000 Patient-Years at Risk, 1999 to 2008
Intestine Waiting List

Age This Year		Year									
		1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
Total											
	Patients	212	247	320	349	356	393	451	485	497	463
	Deaths	47	27	44	53	47	56	58	54	49	28
	Rate	495.8	254.1	318.7	322.4	302.3	326.3	328.1	265.8	232.8	129.6
<1 Year											
	Patients	15	32	32	35	34	32	54	39	39	28
	Deaths	2	2	7	6	5	6	8	1	3	2
	Rate	536.5	335.3	1,011.5	683.8	737.4	825.9	931.8	100.4	368.4	373.8
1-5 Years											
	Patients	99	105	139	141	153	165	175	207	216	206
	Deaths	25	17	29	29	23	25	35	32	25	16
	Rate	552.1	352.5	443.8	397.3	341.0	326.9	490.4	356.2	236.3	149.5
6-11 Years											
	Patients	23	32	31	39	35	43	51	47	43	40
	Deaths	1	1	2	-	2	1	1	1	-	-
	Rate	63.7	49.0	102.5	-	81.5	33.9	29.3	31.6	-	-
12-17 Years											
	Patients	6	9	20	28	23	22	26	35	31	21
	Deaths	1	1	-	4	2	1	3	4	1	1
	Rate	*	*	-	255.8	133.1	73.8	195.9	183.7	55.4	68.1
18-34 Years											
	Patients	28	24	28	41	40	38	56	54	54	58
	Deaths	7	2	1	7	6	5	5	4	5	3
	Rate	681.2	178.5	92.4	546.4	446.4	335.2	259.7	227.9	277.1	129.6
35-49 Years											
	Patients	28	24	37	43	47	48	44	51	55	54
	Deaths	7	2	2	3	5	11	4	5	8	1
	Rate	654.5	270.0	152.7	140.4	288.2	806.9	321.1	432.2	437.3	62.8
50-64 Years											
	Patients	13	19	31	21	21	40	43	48	52	48
	Deaths	4	2	3	4	4	6	2	7	7	5
	Rate	672.5	261.0	309.1	538.8	408.7	422.4	135.8	372.7	401.3	271.6
65+ Years											
	Patients	-	2	2	1	3	5	2	4	7	8
	Deaths	-	-	-	-	-	1	-	-	-	-
	Rate	-	*	*	*	*	*	*	*	*	*

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

Patients alive on the waiting list at any time during the year are counted. Period at risk begins the later of January 1 or waiting list registration and ends on the earlier of December 31, date of death, or date of removal for other reasons. Please see Technical Notes for further details about death rate computation.

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Table 10.3 (Continued)
Reported Deaths and Annual Death Rates Per 1,000 Patient-Years at Risk, 1999 to 2008
Intestine Waiting List

Ethnicity/Race		Year									
		1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
Total	Patients	212	247	320	349	356	393	451	485	497	463
	Deaths	47	27	44	53	47	56	58	54	49	28
	Rate	495.8	254.1	318.7	322.4	302.3	326.3	328.1	265.8	232.8	129.6
White	Patients	142	156	216	240	242	250	286	318	325	296
	Deaths	33	13	29	32	29	36	32	33	37	16
	Rate	520.2	195.8	331.2	284.2	279.9	336.9	286.1	248.1	270.6	116.6
African American	Patients	41	52	59	53	51	69	84	81	88	79
	Deaths	12	9	8	7	9	13	12	8	8	7
	Rate	637.1	388.0	253.2	236.6	312.6	377.2	371.7	232.7	212.6	177.9
Other/Multi-race	Patients	1	-	1	3	5	2	5	7	7	7
	Deaths	-	-	-	1	-	-	1	1	1	-
	Rate	*	-	*	*	*	*	*	*	*	*
Asian	Patients	6	8	5	5	8	13	10	13	11	10
	Deaths	-	-	-	2	1	1	2	1	-	-
	Rate	*	*	*	*	*	231.4	380.9	156.8	-	-
Hispanic/Latino	Patients	22	31	39	48	50	59	66	66	66	71
	Deaths	2	5	7	11	8	6	11	11	3	5
	Rate	212.5	391.7	441.5	579.8	419.4	240.0	421.6	412.3	104.2	152.8

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

Patients alive on the waiting list at any time during the year are counted. Period at risk begins the later of January 1 or waiting list registration and ends on the earlier of December 31, date of death, or date of removal for other reasons. Please see Technical Notes for further details about death rate computation.

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Table 10.3 (Continued)
Reported Deaths and Annual Death Rates Per 1,000 Patient-Years at Risk, 1999 to 2008
Intestine Waiting List

Gender		Year									
		1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
Total	Patients	212	247	320	349	356	393	451	485	497	463
	Deaths	47	27	44	53	47	56	58	54	49	28
	Rate	495.8	254.1	318.7	322.4	302.3	326.3	328.1	265.8	232.8	129.6
Female	Patients	99	109	153	155	155	193	216	229	213	205
	Deaths	28	10	19	25	21	22	19	25	23	10
	Rate	604.9	206.2	287.8	331.8	315.3	266.9	217.6	272.3	258.8	112.0
Male	Patients	113	138	167	194	201	200	235	256	284	258
	Deaths	19	17	25	28	26	34	39	29	26	18
	Rate	391.7	294.4	347.0	314.4	292.6	381.2	435.9	260.4	213.7	141.9

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

Patients alive on the waiting list at any time during the year are counted. Period at risk begins the later of January 1 or waiting list registration and ends on the earlier of December 31, date of death, or date of removal for other reasons. Please see Technical Notes for further details about death rate computation.

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Table 10.3 (Continued)
Reported Deaths and Annual Death Rates Per 1,000 Patient-Years at Risk, 1999 to 2008
Intestine Waiting List

Blood Type		Year									
		1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
Total	Patients	212	247	320	349	356	393	451	485	497	463
	Deaths	47	27	44	53	47	56	58	54	49	28
	Rate	495.8	254.1	318.7	322.4	302.3	326.3	328.1	265.8	232.8	129.6
A	Patients	75	80	110	134	125	136	158	175	184	167
	Deaths	20	8	15	16	19	17	20	18	19	11
	Rate	557.4	216.9	343.5	282.8	345.7	286.3	327.5	249.9	249.7	150.3
AB	Patients	8	10	10	17	14	13	24	19	20	17
	Deaths	3	1	-	2	2	1	3	3	1	-
	Rate	*	264.5	-	312.5	287.7	147.9	420.9	289.5	104.4	-
B	Patients	30	33	55	49	44	54	57	69	69	68
	Deaths	7	4	5	13	8	8	7	9	9	3
	Rate	501.8	265.2	199.6	520.9	422.6	323.3	265.3	322.6	289.4	103.8
O	Patients	99	124	145	149	173	190	212	222	224	211
	Deaths	17	14	24	22	18	30	28	24	20	14
	Rate	404.0	277.2	383.6	287.7	241.3	371.6	340.6	258.4	213.3	136.1

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

Patients alive on the waiting list at any time during the year are counted. Period at risk begins the later of January 1 or waiting list registration and ends on the earlier of December 31, date of death, or date of removal for other reasons. Please see Technical Notes for further details about death rate computation.

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Table 10.3 (Continued)
Reported Deaths and Annual Death Rates Per 1,000 Patient-Years at Risk, 1999 to 2008
Intestine Waiting List

Primary Diagnosis	Year									
	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
Total										
Patients	212	247	320	349	356	393	451	485	497	463
Deaths	47	27	44	53	47	56	58	54	49	28
Rate	495.8	254.1	318.7	322.4	302.3	326.3	328.1	265.8	232.8	129.6
Short Gut Syndrome										
Patients	103	119	140	138	149	145	184	172	189	215
Deaths	30	16	18	20	28	16	22	18	19	12
Rate	604.3	307.3	277.8	284.3	423.0	251.6	296.0	226.1	256.2	124.5
Functional Bowel Problem										
Patients	18	13	24	28	26	40	46	38	30	37
Deaths	5	1	4	2	1	5	5	2	1	3
Rate	586.3	205.4	417.8	149.0	70.6	274.2	278.6	125.0	76.9	174.8
Other										
Patients	59	83	120	140	134	146	165	197	195	141
Deaths	8	7	18	18	14	20	23	22	16	7
Rate	353.6	197.9	373.7	301.1	264.0	320.3	383.3	281.3	174.2	95.3
Unknown										
Patients	32	32	36	43	47	62	56	78	83	70
Deaths	4	3	4	13	4	15	8	12	13	6
Rate	285.7	215.0	257.8	623.7	181.3	548.5	326.3	408.9	412.2	205.8

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

Patients alive on the waiting list at any time during the year are counted. Period at risk begins the later of January 1 or waiting list registration and ends on the earlier of December 31, date of death, or date of removal for other reasons. Please see Technical Notes for further details about death rate computation.

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Table 10.3 (Continued)
Reported Deaths and Annual Death Rates Per 1,000 Patient-Years at Risk, 1999 to 2008
Intestine Waiting List

Waitlist Center State	Year										
	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	
Total											
Patients	212	247	320	349	356	393	451	485	497	463	
Deaths	47	27	44	53	47	56	58	54	49	28	
Rate	495.8	254.1	318.7	322.4	302.3	326.3	328.1	265.8	232.8	129.6	
Alabama											
Patients	3	1	-	-	-	-	-	-	-	-	
Deaths	2	1	-	-	-	-	-	-	-	-	
Rate	*	*	-	-	-	-	-	-	-	-	
California											
Patients	13	10	17	31	36	45	49	50	51	56	
Deaths	5	2	3	3	3	4	10	10	6	4	
Rate	1,094.2	382.4	449.0	256.0	215.0	228.7	517.8	585.7	299.0	154.1	
District of Columbia											
Patients	-	-	5	13	19	31	48	56	61	55	
Deaths	-	-	-	-	-	7	7	6	13	2	
Rate	-	-	*	-	-	520.7	500.9	255.4	426.9	71.2	
Delaware											
Patients	-	1	-	-	-	-	-	-	-	-	
Deaths	-	1	-	-	-	-	-	-	-	-	
Rate	-	*	-	-	-	-	-	-	-	-	
Florida											
Patients	30	41	68	54	47	39	49	55	38	42	
Deaths	2	4	8	5	7	4	9	4	4	3	
Rate	207.7	307.1	421.1	317.3	518.1	269.5	566.3	232.4	285.5	295.2	
Illinois											
Patients	8	9	5	3	5	10	16	10	9	14	
Deaths	4	2	1	-	1	-	1	-	-	1	
Rate	*	*	*	*	*	-	209.5	-	*	128.8	
Indiana											
Patients	2	2	2	1	5	9	21	25	32	26	
Deaths	-	-	-	-	1	2	3	3	4	-	
Rate	*	*	*	*	*	*	889.4	683.9	1,418.4	-	
Louisiana											
Patients	-	-	-	-	-	2	3	-	-	-	
Deaths	-	-	-	-	-	-	1	-	-	-	
Rate	-	-	-	-	-	*	*	-	-	-	

(Continued)

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

Patients alive on the waiting list at any time during the year are counted. Period at risk begins the later of January 1 or waiting list registration and ends on the earlier of December 31, date of death, or date of removal for other reasons. Please see Technical Notes for further details about death rate computation.

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Table 10.3 (Continued)
Reported Deaths and Annual Death Rates Per 1,000 Patient-Years at Risk, 1999 to 2008
Intestine Waiting List

Waitlist Center State	Year									
	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
Massachusetts										
Patients	-	-	-	1	-	2	6	7	5	7
Deaths	-	-	-	-	-	-	1	-	-	-
Rate	-	-	-	*	-	*	*	*	*	*
Maryland										
Patients	2	2	2	2	-	-	-	-	-	-
Deaths	-	-	-	-	-	-	-	-	-	-
Rate	*	*	*	*	-	-	-	-	-	-
Minnesota										
Patients	4	3	7	8	7	8	9	8	5	1
Deaths	-	-	1	2	-	-	-	1	1	1
Rate	*	*	*	*	*	*	*	*	*	*
Missouri										
Patients	1	1	1	1	1	1	1	1	1	1
Deaths	1	-	-	-	-	-	-	-	-	-
Rate	*	*	*	*	*	*	*	*	*	*
North Carolina										
Patients	3	4	2	3	2	2	2	2	1	1
Deaths	1	2	-	-	-	-	-	-	-	-
Rate	*	*	*	*	*	*	*	*	*	*
Nebraska										
Patients	39	41	55	46	45	44	45	53	54	43
Deaths	11	3	9	15	10	9	5	9	2	2
Rate	560.4	173.1	410.5	656.9	602.2	465.9	363.3	565.0	125.3	173.2
New York										
Patients	24	31	43	32	20	33	27	15	21	18
Deaths	5	3	8	6	5	5	3	2	1	3
Rate	569.4	319.1	556.0	460.1	442.7	359.5	249.9	320.6	155.5	333.7
Ohio										
Patients	1	1	1	3	6	6	11	7	17	23
Deaths	-	-	-	1	1	1	1	1	2	-
Rate	*	*	*	*	*	*	650.5	*	603.4	-
Oklahoma										
Patients	1	-	1	1	2	-	-	-	-	-
Deaths	1	-	-	-	1	-	-	-	-	-
Rate	*	-	*	*	*	-	-	-	-	-

(Continued)

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

Patients alive on the waiting list at any time during the year are counted. Period at risk begins the later of January 1 or waiting list registration and ends on the earlier of December 31, date of death, or date of removal for other reasons. Please see Technical Notes for further details about death rate computation.

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Table 10.3 (Continued)
Reported Deaths and Annual Death Rates Per 1,000 Patient-Years at Risk, 1999 to 2008
Intestine Waiting List

Waitlist Center State	Year									
	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
Pennsylvania										
Patients	72	89	106	141	154	152	154	181	183	162
Deaths	15	6	14	19	18	23	16	14	15	12
Rate	417.9	130.0	241.4	254.1	249.3	313.8	209.8	145.8	151.7	122.8
South Carolina										
Patients	2	3	1	2	1	3	3	1	-	-
Deaths	-	1	-	1	-	1	1	-	-	-
Rate	*	*	*	*	*	*	*	*	-	-
Texas										
Patients	3	5	1	1	-	1	4	9	8	3
Deaths	-	2	-	-	-	-	-	2	-	-
Rate	*	*	*	*	-	*	*	*	*	*
Virginia										
Patients	-	-	-	-	-	-	-	-	1	-
Deaths	-	-	-	-	-	-	-	-	-	-
Rate	-	-	-	-	-	-	-	-	*	-
Washington										
Patients	1	-	1	1	1	-	3	5	9	9
Deaths	-	-	-	-	-	-	-	2	1	-
Rate	*	-	*	*	*	-	*	*	*	*
Wisconsin										
Patients	3	3	2	5	5	5	-	-	1	2
Deaths	-	-	-	1	-	-	-	-	-	-
Rate	*	*	*	*	*	*	-	-	*	*

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

Patients alive on the waiting list at any time during the year are counted. Period at risk begins the later of January 1 or waiting list registration and ends on the earlier of December 31, date of death, or date of removal for other reasons. Please see Technical Notes for further details about death rate computation.

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.