

Table 10.7
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1999 to 2007
Rates for Recipients during First Year after Intestine Transplantation

Recipient Age at Tx	Year of Transplant								
	1999	2000	2001	2002	2003	2004	2005	2006	2007
Total									
Patients	67	77	112	103	109	145	161	161	181
Deaths	25	21	35	27	20	30	35	37	41
Rate	515.3	347.9	404.7	325.2	208.1	243.1	252.6	268.6	267.3
<1 Year									
Patients	11	10	20	15	10	20	24	29	35
Deaths	6	6	8	4	3	7	8	11	12
Rate	945.7	1,221.6	563.1	337.0	331.3	449.1	446.6	511.4	460.3
1-5 Years									
Patients	23	29	35	29	43	51	42	47	54
Deaths	8	12	14	10	7	12	11	11	12
Rate	469.4	604.5	531.3	456.1	186.3	286.9	303.0	269.4	257.4
6-11 Years									
Patients	5	7	7	11	6	11	15	6	8
Deaths	1	0	1	4	1	2	1	3	2
Rate	*	*	*	457.5	*	218.4	68.2	*	*
12-17 Years									
Patients	2	3	1	11	10	5	6	7	9
Deaths	0	0	0	4	1	0	1	1	2
Rate	*	*	*	539.2	110.0	*	*	*	*
18-34 Years									
Patients	9	10	14	14	15	13	29	32	25
Deaths	4	1	4	0	4	2	3	6	3
Rate	*	107.6	355.1	0.0	312.6	175.3	112.1	215.4	133.1
35-49 Years									
Patients	15	14	22	15	20	25	23	23	31
Deaths	5	1	4	3	3	3	6	5	6
Rate	447.7	76.2	220.3	245.1	168.8	131.8	315.3	248.4	225.4
50-64 Years									
Patients	2	4	12	8	5	18	21	15	17
Deaths	1	1	4	2	1	2	5	0	4
Rate	*	*	473.7	*	*	115.4	288.5	0.0	266.2

(Continued)

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Includes intestine only and intestine with liver and/or pancreas transplants.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 10.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1999 to 2007
Rates for Recipients during First Year after Intestine Transplantation

Recipient Age at Tx	Year of Transplant								
	1999	2000	2001	2002	2003	2004	2005	2006	2007
65+ Years									
Patients	-	-	1	-	-	2	1	2	2
Deaths	-	-	0	-	-	2	0	0	0
Rate	-	-	*	-	-	*	*	*	*

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Includes intestine only and intestine with liver and/or pancreas transplants.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 10.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1999 to 2007
Rates for Recipients during First Year after Intestine Transplantation

Ethnicity/Race	Year of Transplant								
	1999	2000	2001	2002	2003	2004	2005	2006	2007
Total									
Patients	67	77	112	103	109	145	161	161	181
Deaths	25	21	35	27	20	30	35	37	41
Rate	515.3	347.9	404.7	325.2	208.1	243.1	252.6	268.6	267.3
White									
Patients	45	47	77	71	86	101	107	111	125
Deaths	15	9	21	16	15	19	25	21	30
Rate	436.6	225.6	340.7	271.2	196.6	218.4	277.0	215.1	282.2
African American									
Patients	11	12	20	15	9	16	25	23	28
Deaths	7	7	9	6	2	4	4	8	5
Rate	1,243.6	1,110.5	651.0	586.1	*	308.9	181.8	416.8	205.6
Other/Multi-race									
Patients	1	-	-	1	1	2	1	5	1
Deaths	0	-	-	0	0	2	0	2	0
Rate	*	-	-	*	*	*	*	*	*
Asian									
Patients	1	2	2	-	2	6	2	2	4
Deaths	0	1	1	-	1	3	1	0	2
Rate	*	*	*	-	*	*	*	*	*
Hispanic/Latino									
Patients	9	16	13	16	11	20	26	20	23
Deaths	3	4	4	5	2	2	5	6	4
Rate	*	308.6	411.2	390.7	197.8	105.8	209.1	397.5	205.7

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Includes intestine only and intestine with liver and/or pancreas transplants.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 10.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1999 to 2007
Rates for Recipients during First Year after Intestine Transplantation

Gender	Year of Transplant								
	1999	2000	2001	2002	2003	2004	2005	2006	2007
Total									
Patients	67	77	112	103	109	145	161	161	181
Deaths	25	21	35	27	20	30	35	37	41
Rate	515.3	347.9	404.7	325.2	208.1	243.1	252.6	268.6	267.3
Female									
Patients	31	32	55	52	46	78	89	88	79
Deaths	15	6	17	15	12	15	21	18	13
Rate	742.8	223.6	406.2	357.0	322.6	226.6	279.0	238.0	184.2
Male									
Patients	36	45	57	51	63	67	72	73	102
Deaths	10	15	18	12	8	15	14	19	28
Rate	353.1	447.4	403.3	292.6	135.9	262.3	221.1	306.0	338.2

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Includes intestine only and intestine with liver and/or pancreas transplants.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 10.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1999 to 2007
Rates for Recipients during First Year after Intestine Transplantation

Blood Type	Year of Transplant								
	1999	2000	2001	2002	2003	2004	2005	2006	2007
Total									
Patients	67	77	112	103	109	145	161	161	181
Deaths	25	21	35	27	20	30	35	37	41
Rate	515.3	347.9	404.7	325.2	208.1	243.1	252.6	268.6	267.3
A									
Patients	20	28	40	50	36	55	51	58	74
Deaths	6	10	15	13	7	12	10	17	11
Rate	388.7	483.4	522.6	321.0	220.5	259.2	224.7	365.7	161.2
AB									
Patients	3	2	5	9	4	5	9	7	7
Deaths	1	0	1	5	2	1	1	0	0
Rate	*	*	*	*	*	*	*	*	*
B									
Patients	7	5	20	11	10	18	20	24	22
Deaths	5	3	6	2	3	3	3	5	9
Rate	*	*	387.6	209.3	377.2	193.1	168.6	230.8	572.4
O									
Patients	37	42	47	33	59	67	81	72	78
Deaths	13	8	13	7	8	14	21	15	21
Rate	473.3	226.5	339.7	247.8	148.2	243.6	309.4	239.7	336.5

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Includes intestine only and intestine with liver and/or pancreas transplants.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 10.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1999 to 2007
Rates for Recipients during First Year after Intestine Transplantation

Residency	Year of Transplant								
	1999	2000	2001	2002	2003	2004	2005	2006	2007
Total									
Patients	67	77	112	103	109	145	161	161	181
Deaths	25	21	35	27	20	30	35	37	41
Rate	515.3	347.9	404.7	325.2	208.1	243.1	252.6	268.6	267.3
U.S. Resident									
Patients	64	71	108	96	108	141	156	154	174
Deaths	24	19	33	23	20	29	32	36	40
Rate	516.3	338.7	395.1	290.0	210.3	241.2	236.1	273.6	271.5
Nonresident Alien									
Patients	2	6	4	7	-	4	5	7	7
Deaths	0	2	2	4	-	1	3	1	1
Rate	*	*	*	*	-	*	*	*	*
Unknown									
Patients	1	-	-	-	1	-	-	-	-
Deaths	1	-	-	-	0	-	-	-	-
Rate	*	-	-	-	*	-	-	-	-

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Includes intestine only and intestine with liver and/or pancreas transplants.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 10.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1999 to 2007
Rates for Recipients during First Year after Intestine Transplantation

Previous Tx Same Organ	Year of Transplant								
	1999	2000	2001	2002	2003	2004	2005	2006	2007
Total									
Patients	67	77	112	103	109	145	161	161	181
Deaths	25	21	35	27	20	30	35	37	41
Rate	515.3	347.9	404.7	325.2	208.1	243.1	252.6	268.6	267.3
No									
Patients	56	69	105	91	100	142	147	147	162
Deaths	22	17	29	21	19	29	31	32	35
Rate	549.7	305.0	342.9	273.7	217.5	239.1	242.9	251.0	253.5
Yes									
Patients	11	8	7	12	9	3	14	14	19
Deaths	3	4	6	6	1	1	4	5	6
Rate	353.1	*	*	951.4	*	*	365.3	487.6	391.6

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Includes intestine only and intestine with liver and/or pancreas transplants.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 10.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1999 to 2007
Rates for Recipients during First Year after Intestine Transplantation

Life Support Status	Year of Transplant								
	1999	2000	2001	2002	2003	2004	2005	2006	2007
Total									
Patients	67	77	112	103	109	145	161	161	181
Deaths	25	21	35	27	20	30	35	37	41
Rate	515.3	347.9	404.7	325.2	208.1	243.1	252.6	268.6	267.3
Not on Life Support									
Patients	58	72	107	85	93	122	132	138	144
Deaths	17	18	33	17	15	22	28	31	29
Rate	376.0	309.7	395.4	233.1	182.4	207.6	246.6	261.6	235.2
On Life Support									
Patients	9	5	5	18	16	23	29	23	37
Deaths	8	3	2	10	5	8	7	6	12
Rate	*	*	*	988.8	360.4	460.0	279.7	311.9	399.4

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Includes intestine only and intestine with liver and/or pancreas transplants.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 10.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1999 to 2007
Rates for Recipients during First Year after Intestine Transplantation

Hospitalized at Tx	Year of Transplant								
	1999	2000	2001	2002	2003	2004	2005	2006	2007
Total									
Patients	67	77	112	103	109	145	161	161	181
Deaths	25	21	35	27	20	30	35	37	41
Rate	515.3	347.9	404.7	325.2	208.1	243.1	252.6	268.6	267.3
Not Hospitalized									
Patients	36	45	80	61	76	88	112	102	130
Deaths	6	10	20	12	11	13	21	18	23
Rate	191.4	268.0	305.5	227.7	157.7	163.5	212.9	197.0	199.1
Hospitalized									
Patients	15	18	18	28	21	35	32	43	33
Deaths	7	4	7	10	4	8	8	11	9
Rate	690.1	262.4	541.5	482.5	217.9	273.8	303.1	310.0	341.1
In Intensive Care									
Patients	16	14	14	14	12	22	17	16	18
Deaths	12	7	8	5	5	9	6	8	9
Rate	1,708.1	897.2	989.3	520.9	627.6	613.7	442.5	736.6	787.5

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Includes intestine only and intestine with liver and/or pancreas transplants.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 10.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1999 to 2007
Rates for Recipients during First Year after Intestine Transplantation

Primary Diagnosis	Year of Transplant								
	1999	2000	2001	2002	2003	2004	2005	2006	2007
Total									
Patients	67	77	112	103	109	145	161	161	181
Deaths	25	21	35	27	20	30	35	37	41
Rate	515.3	347.9	404.7	325.2	208.1	243.1	252.6	268.6	267.3
Short Gut Syndrome									
Patients	47	59	88	80	80	105	111	114	132
Deaths	18	18	27	19	17	22	25	27	33
Rate	537.3	400.1	396.6	290.6	250.0	246.4	268.0	276.7	302.7
Functional Bowel Problem									
Patients	15	13	18	17	22	25	37	26	22
Deaths	5	3	7	7	2	3	7	7	4
Rate	439.9	289.2	526.2	589.6	93.3	127.1	206.9	328.9	213.7
Other									
Patients	5	5	6	6	7	14	13	21	25
Deaths	2	0	1	1	1	5	3	3	2
Rate	*	*	*	*	*	526.4	261.9	158.9	82.2

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Includes intestine only and intestine with liver and/or pancreas transplants.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 10.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1999 to 2007
Rates for Recipients during First Year after Intestine Transplantation

Donor Age	Year of Transplant								
	1999	2000	2001	2002	2003	2004	2005	2006	2007
Total									
Patients	67	77	112	103	109	145	161	161	181
Deaths	25	21	35	27	20	30	35	37	41
Rate	515.3	347.9	404.7	325.2	208.1	243.1	252.6	268.6	267.3
<1 Year									
Patients	19	16	30	28	30	40	35	42	52
Deaths	8	8	11	10	7	12	10	9	14
Rate	599.8	839.4	463.6	487.5	268.8	378.8	364.3	248.4	326.8
1-5 Years									
Patients	19	25	30	24	26	38	46	37	44
Deaths	9	8	10	6	3	9	10	14	12
Rate	737.1	419.4	446.2	300.8	125.2	291.3	241.3	497.0	336.4
6-11 Years									
Patients	10	14	7	12	12	18	10	13	13
Deaths	0	2	2	3	3	1	2	4	2
Rate	0.0	164.5	*	295.6	294.9	56.5	234.7	353.0	171.3
12-17 Years									
Patients	5	9	12	11	15	13	29	25	20
Deaths	2	1	2	1	3	1	7	3	2
Rate	*	*	197.5	98.7	235.9	81.7	283.7	128.2	110.2
18-34 Years									
Patients	10	9	23	17	21	29	29	35	39
Deaths	5	2	7	3	2	4	3	6	4
Rate	858.9	*	390.5	207.6	104.6	151.5	112.3	198.2	111.4
35-49 Years									
Patients	4	4	7	7	5	6	11	8	12
Deaths	1	0	3	2	2	2	3	1	6
Rate	*	*	*	*	*	*	341.6	*	684.1
50-64 Years									
Patients	-	-	3	3	-	1	1	1	1
Deaths	-	-	0	1	-	1	0	0	1
Rate	-	-	*	*	-	*	*	*	*

(Continued)

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Includes intestine only and intestine with liver and/or pancreas transplants.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 10.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1999 to 2007
Rates for Recipients during First Year after Intestine Transplantation

Donor Age	Year of Transplant								
	1999	2000	2001	2002	2003	2004	2005	2006	2007
65+ Years									
Patients	-	-	-	1	-	-	-	-	-
Deaths	-	-	-	1	-	-	-	-	-
Rate	-	-	-	*	-	-	-	-	-

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Includes intestine only and intestine with liver and/or pancreas transplants.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 10.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1999 to 2007
Rates for Recipients during First Year after Intestine Transplantation

Cold Ischemic Time	Year of Transplant								
	1999	2000	2001	2002	2003	2004	2005	2006	2007
Total									
Patients	67	77	112	103	109	145	161	161	181
Deaths	25	21	35	27	20	30	35	37	41
Rate	515.3	347.9	404.7	325.2	208.1	243.1	252.6	268.6	267.3
0-5 Hours									
Patients	9	4	9	9	16	11	15	31	16
Deaths	3	1	4	2	3	2	3	5	1
Rate	*	*	*	*	224.7	213.9	241.9	179.6	66.1
6-10 Hours									
Patients	43	59	93	86	87	107	112	96	119
Deaths	16	17	29	23	16	21	25	22	29
Rate	501.9	370.7	398.7	335.2	206.0	227.8	257.7	268.5	291.8
11-15 Hours									
Patients	8	8	7	4	5	7	4	3	14
Deaths	3	1	1	1	1	0	1	1	4
Rate	*	*	*	*	*	*	*	*	350.1
16-20 Hours									
Patients	2	1	-	-	-	1	-	-	-
Deaths	1	0	-	-	-	0	-	-	-
Rate	*	*	-	-	-	*	-	-	-
21+ Hours									
Patients	-	-	-	-	-	-	1	-	-
Deaths	-	-	-	-	-	-	1	-	-
Rate	-	-	-	-	-	-	*	-	-
Unknown									
Patients	5	5	3	4	1	19	29	31	32
Deaths	2	2	1	1	0	7	5	9	7
Rate	*	*	*	*	*	505.1	195.4	350.2	255.3

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Includes intestine only and intestine with liver and/or pancreas transplants.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 10.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1999 to 2007
Rates for Recipients during First Year after Intestine Transplantation

Transplant Center State	Year of Transplant								
	1999	2000	2001	2002	2003	2004	2005	2006	2007
Total									
Patients	67	77	112	103	109	145	161	161	181
Deaths	25	21	35	27	20	30	35	37	41
Rate	515.3	347.9	404.7	325.2	208.1	243.1	252.6	268.6	267.3
California									
Patients	6	3	3	11	12	20	17	18	14
Deaths	3	0	0	1	3	7	2	4	3
Rate	*	*	*	92.8	323.7	480.1	123.0	261.0	269.9
District of Columbia									
Patients	-	-	-	-	2	11	12	18	21
Deaths	-	-	-	-	0	3	0	7	3
Rate	-	-	-	-	*	327.8	0.0	498.6	160.4
Florida									
Patients	16	17	38	31	21	15	20	31	18
Deaths	7	7	13	13	5	4	6	9	7
Rate	607.7	612.9	459.6	633.6	276.5	330.8	386.5	356.5	613.8
Illinois									
Patients	-	2	1	-	-	2	8	4	1
Deaths	-	1	1	-	-	0	2	2	0
Rate	-	*	*	-	-	*	*	*	*
Indiana									
Patients	-	-	-	-	2	4	15	11	17
Deaths	-	-	-	-	1	1	4	2	4
Rate	-	-	-	-	*	*	326.7	202.1	266.7
Louisiana									
Patients	-	-	-	-	-	-	1	-	-
Deaths	-	-	-	-	-	-	0	-	-
Rate	-	-	-	-	-	-	*	-	-
Massachusetts									
Patients	-	-	-	-	-	1	1	4	2
Deaths	-	-	-	-	-	0	0	0	0
Rate	-	-	-	-	-	*	*	*	*

(Continued)

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Includes intestine only and intestine with liver and/or pancreas transplants.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 10.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1999 to 2007
Rates for Recipients during First Year after Intestine Transplantation

Transplant Center State	Year of Transplant								
	1999	2000	2001	2002	2003	2004	2005	2006	2007
Minnesota									
Patients	3	-	1	-	-	-	1	1	2
Deaths	1	-	1	-	-	-	1	1	1
Rate	*	-	*	-	-	-	*	*	*
Nebraska									
Patients	14	12	19	13	16	21	28	21	32
Deaths	5	3	8	6	4	3	6	3	10
Rate	464.7	315.4	557.0	678.1	277.0	153.2	240.3	154.8	364.1
New York									
Patients	12	14	19	14	3	9	9	7	7
Deaths	3	4	8	3	0	2	4	1	3
Rate	311.3	379.5	630.6	253.7	*	*	*	*	*
Ohio									
Patients	-	-	-	-	3	4	4	4	8
Deaths	-	-	-	-	2	0	3	3	2
Rate	-	-	-	-	*	*	*	*	*
Oklahoma									
Patients	-	-	-	-	1	-	-	-	-
Deaths	-	-	-	-	1	-	-	-	-
Rate	-	-	-	-	*	-	-	-	-
Pennsylvania									
Patients	14	23	29	31	47	53	43	40	50
Deaths	5	2	4	3	3	7	6	4	4
Rate	508.2	92.3	153.5	103.6	67.0	145.7	153.2	106.0	83.4
South Carolina									
Patients	1	3	-	1	1	-	1	1	-
Deaths	1	2	-	0	1	-	1	1	-
Rate	*	*	-	*	*	-	*	*	-
Texas									
Patients	-	2	-	-	-	-	1	1	5
Deaths	-	1	-	-	-	-	0	0	3
Rate	-	*	-	-	-	-	*	*	*

(Continued)

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Includes intestine only and intestine with liver and/or pancreas transplants.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 10.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1999 to 2007
Rates for Recipients during First Year after Intestine Transplantation

Transplant Center State	Year of Transplant								
	1999	2000	2001	2002	2003	2004	2005	2006	2007
Virginia									
Patients	-	-	-	-	-	-	-	-	1
Deaths	-	-	-	-	-	-	-	-	0
Rate	-	-	-	-	-	-	-	-	*
Washington									
Patients	-	-	-	-	-	-	-	-	3
Deaths	-	-	-	-	-	-	-	-	1
Rate	-	-	-	-	-	-	-	-	*
Wisconsin									
Patients	1	1	2	2	1	5	-	-	-
Deaths	0	1	0	1	0	3	-	-	-
Rate	*	*	*	*	*	*	-	-	-

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Includes intestine only and intestine with liver and/or pancreas transplants.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.