

**Table 12.6d**  
**Immunosuppression Use for Maintenance by Regimen**  
**Prior to Discharge, 1999 to 2008**  
**Recipients with Lung Transplants**

	Transplant Year									
	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
<b>Functioning Graft at Discharge</b>	801	859	951	947	1,013	1,108	1,289	1,302	1,360	1,370
<b>With Immunosuppression Info</b>	789	854	948	942	1,009	1,098	1,271	1,296	1,338	1,358
CyA	0.3%	0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%
Tac	0.0%	0.1%	0.0%	0.1%	1.0%	0.1%	0.4%	0.1%	0.4%	0.5%
--- + MMF/MPA	0.1%	0.0%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
CyA + MMF/MPA	0.0%	0.5%	0.1%	0.1%	0.2%	0.1%	0.2%	0.1%	0.0%	0.0%
Tac + MMF/MPA	0.0%	0.9%	0.1%	0.1%	0.8%	0.5%	0.6%	1.5%	1.6%	0.8%
--- + OtherAntimet	0.1%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%
CyA + OtherAntimet	1.1%	0.1%	0.1%	0.3%	0.7%	0.4%	0.1%	0.1%	0.0%	0.0%
Tac + OtherAntimet	0.0%	0.2%	0.2%	0.2%	2.3%	1.5%	0.6%	0.3%	2.0%	0.2%
--- + MMF/MPA + OtherAntimet	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%
Tac + MMF/MPA + OtherAntimet	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	0.1%	0.1%	0.1%	0.0%
Tac + MMF/MPA + Siro/Evero	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	0.0%
--- + Steroids	1.0%	0.9%	0.7%	0.7%	1.2%	0.5%	1.0%	0.5%	0.8%	0.5%
CyA + Steroids	4.3%	2.9%	2.4%	1.4%	1.2%	1.1%	1.1%	1.5%	0.6%	1.2%
Tac + Steroids	2.0%	1.4%	1.7%	5.7%	6.0%	7.0%	4.8%	4.0%	5.1%	6.0%
--- + MMF/MPA + Steroids	0.4%	0.4%	0.4%	0.2%	0.3%	0.2%	0.8%	0.3%	0.3%	0.5%
CyA + MMF/MPA + Steroids	15.0%	15.5%	17.8%	17.5%	13.6%	10.0%	7.9%	6.4%	2.3%	2.9%
Tac + MMF/MPA + Steroids	12.0%	16.3%	18.8%	25.4%	27.1%	35.2%	43.7%	45.7%	56.1%	58.4%
--- + OtherAntimet + Steroids	2.0%	0.0%	0.5%	0.0%	0.2%	0.4%	0.2%	0.2%	0.4%	0.1%
CyA + OtherAntimet + Steroids	44.1%	39.9%	27.1%	20.7%	16.0%	15.9%	12.3%	7.3%	6.7%	3.8%
Tac + OtherAntimet + Steroids	14.8%	16.0%	20.9%	23.0%	24.9%	23.4%	24.5%	28.5%	22.0%	23.2%
--- + Siro/Evero + Steroids	0.0%	0.0%	0.1%	0.1%	0.2%	0.0%	0.0%	0.0%	0.0%	0.1%
CyA + Siro/Evero + Steroids	0.0%	0.0%	0.1%	0.3%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
Tac + Siro/Evero + Steroids	0.4%	0.6%	2.5%	0.1%	0.0%	0.4%	0.2%	0.8%	0.1%	0.1%
Other Regimen	2.3%	4.1%	6.1%	3.7%	4.3%	3.3%	1.5%	2.5%	1.3%	1.5%

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

Percentages in each column sum to 100 percent.

---: No Calcineurin Inhibitor Use; CyA: Cyclosporine; Tac: Tacrolimus.

MMF: Mycophenolate Mofetil; MPA: Mycophenolate Sodium; Siro: Sirolimus; Evero: Everolimus; OtherAntimet: Antimetabolites excluding MMF and MPA.

"Other Regimen" includes drug combinations that are different from the listed regimens and drugs from the text field entering.