

**Table 6.7**  
**Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1999 to 2007**  
**Rates for Recipients during First Year after Pancreas Transplant Alone (PTA) Transplantation**

Recipient Age at Tx	Year of Transplant								
	1999	2000	2001	2002	2003	2004	2005	2006	2007
<b>Total</b>									
Patients	98	99	110	128	104	120	127	94	104
Deaths	4	0	3	4	6	5	2	2	3
Rate	41.6	0.0	27.6	31.8	60.0	42.5	15.9	21.6	29.2
<b>12-17 Years</b>									
Patients	-	-	-	-	1	1	-	-	-
Deaths	-	-	-	-	0	0	-	-	-
Rate	-	-	-	-	*	*	-	-	-
<b>18-34 Years</b>									
Patients	30	29	28	32	27	34	34	26	19
Deaths	1	0	2	2	0	0	1	0	0
Rate	33.6	0.0	74.1	64.4	0.0	0.0	29.8	0.0	0.0
<b>35-49 Years</b>									
Patients	58	51	62	77	59	70	63	50	64
Deaths	3	0	1	2	4	3	0	1	1
Rate	53.3	0.0	16.2	26.4	70.2	44.0	0.0	20.3	15.9
<b>50-64 Years</b>									
Patients	10	19	20	18	16	14	29	18	21
Deaths	0	0	0	0	2	2	1	1	2
Rate	0.0	0.0	0.0	0.0	142.4	148.0	35.7	57.4	95.7
<b>65+ Years</b>									
Patients	-	-	-	1	1	1	1	-	-
Deaths	-	-	-	0	0	0	0	-	-
Rate	-	-	-	*	*	*	*	-	-

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(-) = None in category.

(\*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

**Table 6.7 (Continued)**  
**Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1999 to 2007**  
**Rates for Recipients during First Year after Pancreas Transplant Alone (PTA) Transplantation**

Ethnicity/Race	Year of Transplant								
	1999	2000	2001	2002	2003	2004	2005	2006	2007
<b>Total</b>									
Patients	98	99	110	128	104	120	127	94	104
Deaths	4	0	3	4	6	5	2	2	3
Rate	41.6	0.0	27.6	31.8	60.0	42.5	15.9	21.6	29.2
<b>White</b>									
Patients	96	94	105	123	99	114	124	94	93
Deaths	4	0	3	4	6	5	2	2	2
Rate	42.5	0.0	28.9	33.1	63.1	44.7	16.3	21.6	21.5
<b>African American</b>									
Patients	1	2	1	1	2	2	3	-	6
Deaths	0	0	0	0	0	0	0	-	1
Rate	*	*	*	*	*	*	*	-	*
<b>Other/Multi-race</b>									
Patients	-	-	1	2	-	-	-	-	1
Deaths	-	-	0	0	-	-	-	-	0
Rate	-	-	*	*	-	-	-	-	*
<b>Asian</b>									
Patients	-	1	-	-	-	-	-	-	-
Deaths	-	0	-	-	-	-	-	-	-
Rate	-	*	-	-	-	-	-	-	-
<b>Hispanic/Latino</b>									
Patients	1	2	3	2	3	4	-	-	4
Deaths	0	0	0	0	0	0	-	-	0
Rate	*	*	*	*	*	*	-	-	*

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(-) = None in category.

(\*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

**Table 6.7 (Continued)**  
**Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1999 to 2007**  
**Rates for Recipients during First Year after Pancreas Transplant Alone (PTA) Transplantation**

Gender	Year of Transplant								
	1999	2000	2001	2002	2003	2004	2005	2006	2007
<b>Total</b>									
Patients	98	99	110	128	104	120	127	94	104
Deaths	4	0	3	4	6	5	2	2	3
Rate	41.6	0.0	27.6	31.8	60.0	42.5	15.9	21.6	29.2
<b>Female</b>									
Patients	66	48	61	74	69	78	81	56	63
Deaths	4	0	1	2	4	4	2	1	0
Rate	62.5	0.0	16.5	27.2	60.0	52.4	25.2	18.1	0.0
<b>Male</b>									
Patients	32	51	49	54	35	42	46	38	41
Deaths	0	0	2	2	2	1	0	1	3
Rate	0.0	0.0	41.7	38.2	59.9	24.1	0.0	26.7	75.2

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(-) = None in category.

(\*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

**Table 6.7 (Continued)**  
**Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1999 to 2007**  
**Rates for Recipients during First Year after Pancreas Transplant Alone (PTA) Transplantation**

Blood Type	Year of Transplant								
	1999	2000	2001	2002	2003	2004	2005	2006	2007
<b>Total</b>									
Patients	98	99	110	128	104	120	127	94	104
Deaths	4	0	3	4	6	5	2	2	3
Rate	41.6	0.0	27.6	31.8	60.0	42.5	15.9	21.6	29.2
<b>A</b>									
Patients	45	43	53	47	45	49	48	51	56
Deaths	2	0	2	2	2	1	1	2	2
Rate	45.9	0.0	38.5	43.6	46.4	20.6	21.0	40.4	35.8
<b>AB</b>									
Patients	5	5	4	5	4	5	3	5	5
Deaths	0	0	0	0	0	0	0	0	1
Rate	*	*	*	*	*	*	*	*	*
<b>B</b>									
Patients	12	12	5	10	10	17	16	4	9
Deaths	0	0	0	0	0	1	0	0	0
Rate	0.0	0.0	*	0.0	0.0	61.6	0.0	*	*
<b>O</b>									
Patients	36	39	48	66	45	49	60	34	34
Deaths	2	0	1	2	4	3	1	0	0
Rate	56.3	0.0	21.0	30.8	93.2	62.7	16.9	0.0	0.0

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(-) = None in category.

(\*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

**Table 6.7 (Continued)**  
**Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1999 to 2007**  
**Rates for Recipients during First Year after Pancreas Transplant Alone (PTA) Transplantation**

Residency	Year of Transplant								
	1999	2000	2001	2002	2003	2004	2005	2006	2007
<b>Total</b>									
Patients	98	99	110	128	104	120	127	94	104
Deaths	4	0	3	4	6	5	2	2	3
Rate	41.6	0.0	27.6	31.8	60.0	42.5	15.9	21.6	29.2
<b>U.S. Resident</b>									
Patients	97	99	109	128	103	120	127	94	104
Deaths	4	0	3	4	6	5	2	2	3
Rate	42.1	0.0	27.9	31.8	60.6	42.5	15.9	21.6	29.2
<b>Nonresident Alien</b>									
Patients	-	-	1	-	1	-	-	-	-
Deaths	-	-	0	-	0	-	-	-	-
Rate	-	-	*	-	*	-	-	-	-
<b>Unknown</b>									
Patients	1	-	-	-	-	-	-	-	-
Deaths	0	-	-	-	-	-	-	-	-
Rate	*	-	-	-	-	-	-	-	-

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(-) = None in category.

(\*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

**Table 6.7 (Continued)**  
**Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1999 to 2007**  
**Rates for Recipients during First Year after Pancreas Transplant Alone (PTA) Transplantation**

Previous Tx Same Organ	Year of Transplant								
	1999	2000	2001	2002	2003	2004	2005	2006	2007
<b>Total</b>									
Patients	98	99	110	128	104	120	127	94	104
Deaths	4	0	3	4	6	5	2	2	3
Rate	41.6	0.0	27.6	31.8	60.0	42.5	15.9	21.6	29.2
<b>No</b>									
Patients	86	92	102	115	96	98	111	84	94
Deaths	3	0	3	3	6	5	2	2	3
Rate	35.4	0.0	29.8	26.6	65.2	52.2	18.3	24.2	32.3
<b>Yes</b>									
Patients	12	7	8	13	8	22	16	10	10
Deaths	1	0	0	1	0	0	0	0	0
Rate	88.8	*	*	77.3	*	0.0	0.0	0.0	0.0

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(-) = None in category.

(\*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

**Table 6.7 (Continued)**  
**Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1999 to 2007**  
**Rates for Recipients during First Year after Pancreas Transplant Alone (PTA) Transplantation**

Hospitalized at Tx	Year of Transplant								
	1999	2000	2001	2002	2003	2004	2005	2006	2007
<b>Total</b>									
Patients	98	99	110	128	104	120	127	94	104
Deaths	4	0	3	4	6	5	2	2	3
Rate	41.6	0.0	27.6	31.8	60.0	42.5	15.9	21.6	29.2
<b>Not Hospitalized</b>									
Patients	95	96	108	125	102	119	125	94	103
Deaths	3	0	3	4	5	5	2	2	3
Rate	32.0	0.0	28.1	32.5	50.5	42.8	16.2	21.6	29.4
<b>Hospitalized</b>									
Patients	3	2	1	3	2	1	2	-	-
Deaths	1	0	0	0	1	0	0	-	-
Rate	*	*	*	*	*	*	*	-	-
<b>In Intensive Care</b>									
Patients	-	1	-	-	-	-	-	-	1
Deaths	-	0	-	-	-	-	-	-	0
Rate	-	*	-	-	-	-	-	-	*
<b>Unknown</b>									
Patients	-	-	1	-	-	-	-	-	-
Deaths	-	-	0	-	-	-	-	-	-
Rate	-	-	*	-	-	-	-	-	-

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(-) = None in category.

(\*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

**Table 6.7 (Continued)**  
**Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1999 to 2007**  
**Rates for Recipients during First Year after Pancreas Transplant Alone (PTA) Transplantation**

Donor Age	Year of Transplant								
	1999	2000	2001	2002	2003	2004	2005	2006	2007
<b>Total</b>									
Patients	98	99	110	128	104	120	127	94	104
Deaths	4	0	3	4	6	5	2	2	3
Rate	41.6	0.0	27.6	31.8	60.0	42.5	15.9	21.6	29.2
<b>&lt;1 Year</b>									
Patients	-	-	1	-	-	-	-	-	-
Deaths	-	-	0	-	-	-	-	-	-
Rate	-	-	*	-	-	-	-	-	-
<b>6-11 Years</b>									
Patients	3	4	2	-	3	7	3	3	2
Deaths	0	0	0	-	0	0	0	0	0
Rate	*	*	*	-	*	*	*	*	*
<b>12-17 Years</b>									
Patients	25	15	20	22	20	30	23	17	16
Deaths	1	0	1	0	0	1	0	1	0
Rate	40.4	0.0	51.3	0.0	0.0	33.9	0.0	61.9	0.0
<b>18-34 Years</b>									
Patients	38	51	50	75	54	62	74	61	62
Deaths	1	0	1	3	3	4	1	0	3
Rate	26.5	0.0	20.2	41.1	57.0	66.4	13.7	0.0	49.3
<b>35-49 Years</b>									
Patients	28	23	35	26	25	20	27	12	22
Deaths	2	0	1	1	3	0	1	1	0
Rate	75.4	0.0	28.8	38.6	134.0	0.0	37.7	87.6	0.0
<b>50-64 Years</b>									
Patients	4	6	2	5	2	1	-	1	2
Deaths	0	0	0	0	0	0	-	0	0
Rate	*	*	*	*	*	*	-	*	*

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(-) = None in category.

(\*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

**Table 6.7 (Continued)**  
**Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1999 to 2007**  
**Rates for Recipients during First Year after Pancreas Transplant Alone (PTA) Transplantation**

Level of HLA Mismatch (Total)		Year of Transplant								
		1999	2000	2001	2002	2003	2004	2005	2006	2007
<b>Total</b>										
	Patients	98	99	110	128	104	120	127	94	104
	Deaths	4	0	3	4	6	5	2	2	3
	Rate	41.6	0.0	27.6	31.8	60.0	42.5	15.9	21.6	29.2
<b>A Locus Mismatch</b>										
	0									
	Patients	19	20	25	22	23	29	31	17	16
	Deaths	0	0	1	0	3	0	0	1	0
	Rate	0.0	0.0	40.8	0.0	138.6	0.0	0.0	61.9	0.0
	1									
	Patients	50	50	57	62	46	57	57	42	51
	Deaths	2	0	2	3	2	5	2	0	1
	Rate	40.8	0.0	35.6	49.8	45.2	91.3	36.0	0.0	19.6
	2									
	Patients	29	29	28	44	35	34	39	35	37
	Deaths	2	0	0	1	1	0	0	1	2
	Rate	71.4	0.0	0.0	22.9	29.3	0.0	0.0	29.1	55.5
	Unknown									
	Patients	0	0	0	0	0	0	0	0	0
	Deaths	0	0	0	0	0	0	0	0	0
	Rate	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(-) = None in category.

(\*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

**Table 6.7 (Continued)**  
**Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1999 to 2007**  
**Rates for Recipients during First Year after Pancreas Transplant Alone (PTA) Transplantation**

Level of HLA Mismatch (Total)		Year of Transplant								
		1999	2000	2001	2002	2003	2004	2005	2006	2007
<b>Total</b>										
	Patients	98	99	110	128	104	120	127	94	104
	Deaths	4	0	3	4	6	5	2	2	3
	Rate	41.6	0.0	27.6	31.8	60.0	42.5	15.9	21.6	29.2
<b>B Locus Mismatch</b>										
	0									
	Patients	12	12	19	16	16	16	12	8	5
	Deaths	0	0	1	0	1	1	0	0	0
	Rate	0.0	0.0	54.1	0.0	65.5	64.6	0.0	*	*
	1									
	Patients	48	50	47	47	35	54	53	27	43
	Deaths	3	0	1	1	3	3	0	1	2
	Rate	64.8	0.0	21.4	21.6	91.0	56.6	0.0	38.2	46.6
	2									
	Patients	38	37	44	65	53	50	62	59	56
	Deaths	1	0	1	3	2	1	2	1	1
	Rate	26.5	0.0	23.0	47.1	38.6	20.3	33.0	17.1	18.2
	Unknown									
	Patients	-	-	-	-	-	-	-	-	-
	Deaths	-	-	-	-	-	-	-	-	-
	Rate	-	-	-	-	-	-	-	-	-

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(-) = None in category.

(\*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

**Table 6.7 (Continued)**  
**Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1999 to 2007**  
**Rates for Recipients during First Year after Pancreas Transplant Alone (PTA) Transplantation**

Level of HLA Mismatch (Total)		Year of Transplant								
		1999	2000	2001	2002	2003	2004	2005	2006	2007
<b>Total</b>										
	Patients	98	99	110	128	104	120	127	94	104
	Deaths	4	0	3	4	6	5	2	2	3
	Rate	41.6	0.0	27.6	31.8	60.0	42.5	15.9	21.6	29.2
<b>DR Locus Mismatch</b>										
	<b>0</b>									
	Patients	16	12	19	12	13	19	15	12	12
	Deaths	0	0	2	0	0	0	0	1	0
	Rate	0.0	0.0	111.2	0.0	0.0	0.0	0.0	89.7	0.0
	<b>1</b>									
	Patients	41	50	54	62	49	56	61	46	44
	Deaths	1	0	1	1	2	3	2	1	2
	Rate	24.8	0.0	18.6	16.3	41.6	54.7	33.6	22.0	45.6
	<b>2</b>									
	Patients	40	37	37	54	42	45	51	36	48
	Deaths	3	0	0	3	4	2	0	0	1
	Rate	77.4	0.0	0.0	57.0	102.7	45.6	0.0	0.0	21.3
	<b>Unknown</b>									
	Patients	1	-	-	-	-	-	-	-	-
	Deaths	0	-	-	-	-	-	-	-	-
	Rate	*	-	-	-	-	-	-	-	-

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(-) = None in category.

(\*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

**Table 6.7 (Continued)**  
**Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1999 to 2007**  
**Rates for Recipients during First Year after Pancreas Transplant Alone (PTA) Transplantation**

Level of HLA Mismatch (Total)		Year of Transplant								
		1999	2000	2001	2002	2003	2004	2005	2006	2007
<b>Total</b>										
	Patients	98	99	110	128	104	120	127	94	104
	Deaths	4	0	3	4	6	5	2	2	3
	Rate	41.6	0.0	27.6	31.8	60.0	42.5	15.9	21.6	29.2
<b>Total Mismatch</b>										
0										
	Patients	3	1	4	4	2	6	2	2	3
	Deaths	0	0	1	0	0	0	0	0	0
	Rate	*	*	*	*	*	*	*	*	*
1										
	Patients	7	5	6	7	6	6	7	4	-
	Deaths	0	0	0	0	0	0	0	1	-
	Rate	*	*	*	*	*	*	*	*	-
2										
	Patients	14	17	17	13	10	23	13	7	12
	Deaths	0	0	0	0	2	1	0	0	0
	Rate	0.0	0.0	0.0	0.0	220.4	44.5	0.0	*	0.0
3										
	Patients	19	25	38	27	25	23	34	18	18
	Deaths	1	0	2	1	1	2	0	0	1
	Rate	54.7	0.0	53.8	38.1	41.6	89.3	0.0	0.0	55.9
4										
	Patients	21	21	15	23	23	19	30	24	32
	Deaths	0	0	0	0	1	1	2	0	1
	Rate	0.0	0.0	0.0	0.0	43.8	53.6	70.1	0.0	31.3
5										
	Patients	25	22	18	33	31	30	26	27	20
	Deaths	3	0	0	2	2	1	0	1	0
	Rate	126.2	0.0	0.0	62.4	68.7	34.2	0.0	37.9	0.0

(Continued)

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(-) = None in category.

(\*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

**Table 6.7 (Continued)**  
**Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1999 to 2007**  
**Rates for Recipients during First Year after Pancreas Transplant Alone (PTA) Transplantation**

Level of HLA Mismatch (Total)	Year of Transplant								
	1999	2000	2001	2002	2003	2004	2005	2006	2007
<b>Total Mismatch</b>									
6									
Patients	8	8	12	21	7	13	15	12	19
Deaths	0	0	0	1	0	0	0	0	1
Rate	*	*	0.0	48.5	*	0.0	0.0	0.0	55.5
Unknown									
Patients	1	-	-	-	-	-	-	-	-
Deaths	0	-	-	-	-	-	-	-	-
Rate	*	-	-	-	-	-	-	-	-

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(-) = None in category.

(\*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

**Table 6.7 (Continued)**  
**Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1999 to 2007**  
**Rates for Recipients during First Year after Pancreas Transplant Alone (PTA) Transplantation**

Cold Ischemic Time	Year of Transplant								
	1999	2000	2001	2002	2003	2004	2005	2006	2007
<b>Total</b>									
Patients	98	99	110	128	104	120	127	94	104
Deaths	4	0	3	4	6	5	2	2	3
Rate	41.6	0.0	27.6	31.8	60.0	42.5	15.9	21.6	29.2
<b>0-11 Hours</b>									
Patients	18	21	11	19	19	31	45	28	39
Deaths	2	0	0	1	1	1	1	2	0
Rate	117.4	0.0	0.0	54.8	55.5	32.8	22.7	75.3	0.0
<b>12-21 Hours</b>									
Patients	55	41	60	59	53	57	54	42	44
Deaths	0	0	3	1	2	2	1	0	2
Rate	0.0	0.0	51.1	17.2	38.6	35.9	18.7	0.0	46.6
<b>22-31 Hours</b>									
Patients	12	16	15	16	11	11	10	10	2
Deaths	1	0	0	0	1	2	0	0	0
Rate	88.7	0.0	0.0	0.0	97.4	190.3	0.0	0.0	*
<b>32-41 Hours</b>									
Patients	1	-	-	-	3	1	-	-	-
Deaths	0	-	-	-	1	0	-	-	-
Rate	*	-	-	-	*	*	-	-	-
<b>42+ Hours</b>									
Patients	-	-	-	1	-	-	-	-	-
Deaths	-	-	-	0	-	-	-	-	-
Rate	-	-	-	*	-	-	-	-	-
<b>Unknown</b>									
Patients	12	21	24	33	18	20	18	14	19
Deaths	1	0	0	2	1	0	0	0	1
Rate	85.1	0.0	0.0	61.5	58.4	0.0	0.0	0.0	52.6

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(-) = None in category.

(\*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

**Table 6.7 (Continued)**  
**Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1999 to 2007**  
**Rates for Recipients during First Year after Pancreas Transplant Alone (PTA) Transplantation**

Transplant Center State	Year of Transplant								
	1999	2000	2001	2002	2003	2004	2005	2006	2007
<b>Total</b>									
Patients	98	99	110	128	104	120	127	94	104
Deaths	4	0	3	4	6	5	2	2	3
Rate	41.6	0.0	27.6	31.8	60.0	42.5	15.9	21.6	29.2
<b>Arizona</b>									
Patients	-	-	-	-	-	2	-	1	1
Deaths	-	-	-	-	-	0	-	0	0
Rate	-	-	-	-	-	*	-	*	*
<b>California</b>									
Patients	2	-	4	10	3	8	5	5	-
Deaths	1	-	0	0	0	0	0	0	-
Rate	*	-	*	0.0	*	*	*	*	-
<b>Connecticut</b>									
Patients	4	2	2	-	1	-	1	-	1
Deaths	0	0	0	-	0	-	1	-	0
Rate	*	*	*	-	*	-	*	-	*
<b>District of Columbia</b>									
Patients	-	-	-	1	-	-	-	-	-
Deaths	-	-	-	0	-	-	-	-	-
Rate	-	-	-	*	-	-	-	-	-
<b>Florida</b>									
Patients	-	2	1	7	6	3	9	-	4
Deaths	-	0	0	0	0	0	0	-	0
Rate	-	*	*	*	*	*	*	-	*
<b>Iowa</b>									
Patients	1	-	4	1	-	-	-	-	-
Deaths	0	-	0	0	-	-	-	-	-
Rate	*	-	*	*	-	-	-	-	-
<b>Illinois</b>									
Patients	2	3	2	6	9	8	13	12	9
Deaths	0	0	0	0	0	0	1	1	0
Rate	*	*	*	*	*	*	79.9	87.6	*

(Continued)

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(-) = None in category.

(\*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

**Table 6.7 (Continued)**  
**Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1999 to 2007**  
**Rates for Recipients during First Year after Pancreas Transplant Alone (PTA) Transplantation**

Transplant Center State	Year of Transplant									
	1999	2000	2001	2002	2003	2004	2005	2006	2007	
<b>Indiana</b>										
Patients	1	-	-	-	1	5	6	10	15	
Deaths	0	-	-	-	0	0	0	1	0	
Rate	*	-	-	-	*	*	*	109.3	0.0	
<b>Kansas</b>										
Patients	-	-	-	-	-	-	1	-	-	
Deaths	-	-	-	-	-	-	0	-	-	
Rate	-	-	-	-	-	-	*	-	-	
<b>Louisiana</b>										
Patients	1	1	1	2	2	2	3	3	1	
Deaths	0	0	0	0	0	0	0	0	0	
Rate	*	*	*	*	*	*	*	*	*	
<b>Massachusetts</b>										
Patients	-	-	1	2	3	7	7	7	4	
Deaths	-	-	0	0	0	0	0	0	0	
Rate	-	-	*	*	*	*	*	*	*	
<b>Maryland</b>										
Patients	15	17	13	13	12	5	7	7	11	
Deaths	1	0	0	1	0	0	0	0	2	
Rate	67.8	0.0	0.0	82.6	0.0	*	*	*	199.8	
<b>Michigan</b>										
Patients	-	-	-	2	1	1	4	-	3	
Deaths	-	-	-	0	0	0	0	-	0	
Rate	-	-	-	*	*	*	*	-	*	
<b>Minnesota</b>										
Patients	42	46	56	59	37	41	33	16	24	
Deaths	2	0	2	3	4	4	0	0	1	
Rate	49.3	0.0	36.2	51.9	117.2	101.2	0.0	0.0	41.9	
<b>Missouri</b>										
Patients	-	-	-	-	-	1	-	-	-	
Deaths	-	-	-	-	-	0	-	-	-	
Rate	-	-	-	-	-	*	-	-	-	

(Continued)

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(-) = None in category.

(\*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

**Table 6.7 (Continued)**  
**Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1999 to 2007**  
**Rates for Recipients during First Year after Pancreas Transplant Alone (PTA) Transplantation**

Transplant Center State	Year of Transplant								
	1999	2000	2001	2002	2003	2004	2005	2006	2007
<b>North Carolina</b>									
Patients	-	1	-	-	3	1	-	-	-
Deaths	-	0	-	-	0	0	-	-	-
Rate	-	*	-	-	*	*	-	-	-
<b>North Dakota</b>									
Patients	-	-	-	-	1	-	-	1	-
Deaths	-	-	-	-	0	-	-	0	-
Rate	-	-	-	-	*	-	-	*	-
<b>Nebraska</b>									
Patients	2	-	-	2	2	-	-	2	3
Deaths	0	-	-	0	0	-	-	0	0
Rate	*	-	-	*	*	-	-	*	*
<b>New Hampshire</b>									
Patients	-	-	-	-	-	-	-	1	2
Deaths	-	-	-	-	-	-	-	0	0
Rate	-	-	-	-	-	-	-	*	*
<b>New Jersey</b>									
Patients	-	-	2	3	1	4	4	-	-
Deaths	-	-	0	0	1	0	0	-	-
Rate	-	-	*	*	*	*	*	-	-
<b>New York</b>									
Patients	6	5	2	2	-	2	2	-	2
Deaths	0	0	0	0	-	0	0	-	0
Rate	*	*	*	*	-	*	*	-	*
<b>Ohio</b>									
Patients	2	2	2	-	5	8	10	8	3
Deaths	0	0	0	-	1	0	0	0	0
Rate	*	*	*	-	*	*	0.0	*	*
<b>Pennsylvania</b>									
Patients	2	6	9	8	3	10	9	7	7
Deaths	0	0	0	0	0	1	0	0	0
Rate	*	*	*	*	*	108.4	*	*	*

(Continued)

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(-) = None in category.

(\*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

**Table 6.7 (Continued)**  
**Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1999 to 2007**  
**Rates for Recipients during First Year after Pancreas Transplant Alone (PTA) Transplantation**

Transplant Center State	Year of Transplant									
	1999	2000	2001	2002	2003	2004	2005	2006	2007	
<b>South Carolina</b>										
Patients	-	-	2	-	-	2	1	1	1	
Deaths	-	-	1	-	-	0	0	0	0	
Rate	-	-	*	-	-	*	*	*	*	
<b>Tennessee</b>										
Patients	7	5	5	1	2	-	3	1	-	
Deaths	0	0	0	0	0	-	0	0	-	
Rate	*	*	*	*	*	-	*	*	-	
<b>Texas</b>										
Patients	1	1	-	2	1	2	1	1	4	
Deaths	0	0	-	0	0	0	0	0	0	
Rate	*	*	-	*	*	*	*	*	*	
<b>Utah</b>										
Patients	-	1	1	1	-	-	-	-	-	
Deaths	-	0	0	0	-	-	-	-	-	
Rate	-	*	*	*	-	-	-	-	-	
<b>Virginia</b>										
Patients	1	1	-	-	-	1	2	3	2	
Deaths	0	0	-	-	-	0	0	0	0	
Rate	*	*	-	-	-	*	*	*	*	
<b>Vermont</b>										
Patients	-	-	-	-	1	-	-	2	-	
Deaths	-	-	-	-	0	-	-	0	-	
Rate	-	-	-	-	*	-	-	*	-	
<b>Washington</b>										
Patients	4	2	3	4	1	-	1	1	1	
Deaths	0	0	0	0	0	-	0	0	0	
Rate	*	*	*	*	*	-	*	*	*	
<b>Wisconsin</b>										
Patients	5	4	-	2	9	7	5	5	6	
Deaths	0	0	-	0	0	0	0	0	0	
Rate	*	*	-	*	*	*	*	*	*	

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(-) = None in category.

(\*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.