

**Table 7.8**  
**Adjusted Graft Survival, Pancreas After Kidney (PAK) Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2006 - 2007)			(Tx 2006 - 2007)			(Tx 2002 - 2007)			(Tx 1997 - 2007)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
<b>Total</b>												
All	550	87.1%	1.4%	550	80.0%	1.7%	2,029	53.6%	1.5%	3,136	37.0%	1.7%
<b>Age at Tx</b>												
6-11 Years	0	-	-	0	-	-	1	+	+	1	+	+
18-34 Years	78	85.9%	3.9%	78	76.8%	4.8%	351	49.3%	3.5%	569	25.8%	4.2%
35-49 Years	349	86.8%	1.8%	349	79.1%	2.2%	1,310	52.7%	1.9%	2,058	39.0%	2.0%
50-64 Years	122	88.5%	2.9%	122	84.3%	3.3%	364	60.9%	3.5%	504	38.7%	4.5%
65+ Years	1	+	+	1	+	+	3	0.0%	0.0%	4	0.0%	0.0%
<b>Recipient Ethnicity/Race</b>												
White	481	86.9%	1.5%	481	80.2%	1.8%	1,748	53.9%	1.6%	2,741	37.2%	1.8%
African American	38	87.1%	5.3%	38	76.4%	6.8%	145	52.1%	5.6%	216	33.6%	6.2%
Hispanic/Latino	25	88.2%	6.3%	25	80.3%	7.7%	110	51.0%	6.4%	142	46.3%	5.9%
Asian	4	+	+	4	+	+	16	48.2%	15.2%	19	57.6%	13.4%
Other/Multi-race	2	100.0%	0.0%	2	50.5%	24.3%	10	57.4%	15.1%	18	27.9%	12.6%
<b>Recipient Gender</b>												
Female	248	87.6%	2.1%	248	79.7%	2.6%	872	53.2%	2.4%	1,343	35.4%	2.7%
Male	302	86.7%	2.0%	302	80.2%	2.3%	1,157	54.0%	2.0%	1,793	38.1%	2.3%

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on pancreas and kidney-pancreas transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

**Table 7.8 (Continued)**  
**Adjusted Graft Survival, Pancreas After Kidney (PAK) Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2006 - 2007)			(Tx 2006 - 2007)			(Tx 2002 - 2007)			(Tx 1997 - 2007)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
<b>Total</b>												
All	550	87.1%	1.4%	550	80.0%	1.7%	2,029	53.6%	1.5%	3,136	37.0%	1.7%
<b>Transplant Center State</b>												
Alabama	8	75.0%	14.2%	8	62.4%	15.8%	28	69.2%	9.0%	28	69.3%	8.9%
Arkansas	0	-	-	0	-	-	2	48.7%	25.3%	3	65.2%	22.9%
Arizona	18	94.4%	5.3%	18	88.7%	7.3%	55	34.1%	11.8%	60	35.5%	11.2%
California	37	94.6%	3.7%	37	89.0%	5.1%	132	44.0%	6.0%	178	42.4%	4.9%
Colorado	2	+	+	2	+	+	9	54.8%	15.7%	11	0.0%	0.0%
Connecticut	3	32.5%	20.2%	3	32.5%	20.2%	16	34.7%	11.5%	41	25.1%	9.1%
District of Columbia	2	49.3%	25.3%	2	49.3%	25.3%	20	64.9%	12.8%	35	13.4%	9.1%
Florida	7	72.7%	15.5%	7	72.7%	15.5%	45	59.5%	8.0%	76	45.9%	7.3%
Georgia	4	76.2%	18.2%	4	51.7%	20.9%	19	37.8%	11.3%	29	45.9%	9.4%
Hawaii	0	-	-	0	-	-	2	0.0%	0.0%	3	32.6%	20.1%
Iowa	3	+	+	3	+	+	6	84.4%	13.2%	14	33.6%	14.2%
Illinois	17	88.2%	7.6%	17	88.2%	7.6%	81	63.2%	6.2%	110	47.7%	7.2%
Indiana	24	95.8%	4.0%	24	95.8%	4.0%	67	88.8%	5.1%	70	84.1%	5.9%
Kansas	2	100.0%	0.0%	2	51.7%	25.4%	10	80.1%	12.0%	16	59.5%	14.8%
Kentucky	5	79.7%	16.3%	5	79.7%	16.3%	11	41.1%	13.9%	18	0.0%	0.0%
Louisiana	5	79.8%	16.2%	5	59.6%	19.4%	30	53.1%	12.2%	48	22.9%	12.1%
Massachusetts	24	87.4%	6.7%	24	87.4%	6.7%	96	52.0%	8.8%	132	30.9%	7.9%
Maryland	21	90.6%	6.2%	21	75.3%	9.4%	86	50.1%	7.8%	207	37.1%	5.3%
Maine	6	+	+	6	+	+	18	58.8%	13.3%	18	58.8%	13.3%
Michigan	21	76.6%	8.9%	21	67.2%	9.9%	65	32.6%	8.0%	100	22.7%	7.4%
Minnesota	69	85.5%	4.2%	69	78.1%	5.0%	291	48.7%	3.7%	639	37.0%	2.7%
Missouri	8	87.4%	11.1%	8	87.4%	11.1%	13	76.6%	11.3%	13	76.4%	11.4%
North Carolina	7	100.0%	0.0%	7	86.1%	12.0%	60	55.2%	7.9%	81	57.2%	6.6%
North Dakota	3	66.4%	22.4%	3	66.4%	22.4%	28	64.8%	9.6%	30	66.6%	9.2%
Nebraska	17	+	+	17	+	+	35	53.5%	14.7%	53	45.2%	14.6%
New Hampshire	9	88.9%	9.9%	9	88.9%	9.9%	11	90.9%	8.3%	11	90.9%	8.3%
New Jersey	11	81.6%	11.2%	11	54.2%	14.2%	76	42.6%	6.6%	81	36.7%	7.3%
Nevada	0	-	-	0	-	-	0	-	-	1	+	+
New York	25	84.1%	7.1%	25	76.1%	8.3%	82	52.4%	7.9%	117	44.1%	6.2%
Ohio	48	91.7%	3.9%	48	89.6%	4.4%	136	60.9%	6.5%	192	44.7%	5.8%
Oklahoma	3	66.9%	21.9%	3	33.4%	20.1%	9	52.5%	16.0%	9	52.1%	16.0%
Oregon	5	100.0%	0.0%	5	80.0%	15.9%	13	55.2%	12.9%	15	42.4%	15.6%
Pennsylvania	27	92.6%	5.0%	27	85.1%	6.7%	109	60.9%	5.3%	168	40.3%	5.7%

(Continued)

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(+)= Values not determined due to insufficient follow-up. (-)= Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on pancreas and kidney-pancreas transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

**Table 7.8 (Continued)**  
**Adjusted Graft Survival, Pancreas After Kidney (PAK) Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2006 - 2007)			(Tx 2006 - 2007)			(Tx 2002 - 2007)			(Tx 1997 - 2007)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
<b>Transplant Center State</b>												
Rhode Island	6	66.3%	17.5%	6	66.3%	17.5%	22	66.8%	10.1%	22	66.9%	10.1%
South Carolina	8	100.0%	0.0%	8	74.7%	14.4%	21	48.3%	12.2%	34	0.0%	0.0%
South Dakota	8	87.3%	11.1%	8	74.6%	14.4%	23	62.0%	10.5%	23	62.1%	10.5%
Tennessee	6	+	+	6	+	+	38	55.6%	9.8%	66	40.9%	8.1%
Texas	29	79.3%	7.4%	29	66.7%	9.0%	72	42.7%	9.4%	108	28.3%	9.0%
Utah	8	87.5%	10.9%	8	75.1%	14.2%	36	44.2%	9.1%	41	0.0%	0.0%
Virginia	17	70.6%	10.6%	17	64.2%	11.3%	57	70.3%	7.2%	65	0.0%	0.0%
Vermont	1	0.0%	0.0%	1	0.0%	0.0%	4	74.2%	19.3%	4	73.8%	19.5%
Washington	6	83.5%	13.7%	6	83.5%	13.7%	19	30.2%	17.1%	40	45.5%	9.6%
Wisconsin	20	90.0%	6.5%	20	80.0%	8.7%	76	60.1%	6.9%	126	43.3%	5.9%

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on pancreas and kidney-pancreas transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.